




PCInet



PRODUCT CATALOGUE

SMALL ANIMALS



01



Diagnostics

5-18

02



Injection
and infusion

19-26

03



Laboratory

27-40

04



Hygiene

41-62

05



Dressing
materials

63-70

06



Suture

71-76

07



Surgery

77-90

08



Care and medical
products

91-100

09



Diagnostic
imaging

101-122

10



Anaesthetics

123-130

11



Dentistry

131-148

12



Clinic
equipment

149-168





POLnet



polnet.pl



Diagnostic

Videotoscope



MORE INFORMATION ON PAGE 9 [➔](#)

Littmann Electronic Stethoscope



MORE INFORMATION ON PAGE 15



OTOSCOPES

PARKER veterinary otoscope

- | set includes 3 plastic cannulae (4, 5, and 7 mm in diameter).

Cat. No. **31442**

Xenon-halogen diagnostic set:
otoscope/ophthalmoscope
(plastic cannulae)

- | xenon-halogen light;
- | otoscope + ophthalmoscope + handle + 2 heads;
- | 5 plastic cannulae (2.5, 3.5, 4.5, and 5.5-9 mm) – set 31451;
- | metal spatula providing light during throat examination;
- | shape of metal nasal speculum fits fingers.

Cat. No. **31424**



Xenon-halogen otoscope

- | xenon-halogen light;
- | otoscope + handle and head;
- | 5 plastic cannulae (2.5, 3.5, 4.5, 5.5, and 9 mm in diameter) – 31451
- | 3 plastic cannulae (4, 5, and 7 mm in diameter) – 31447;
- | metal spatula providing light during throat examination;
- | shape of metal nasal speculum fits fingers.

Cat. No. **31422**



Xenon-halogen diagnostic set: otoscope/ophthalmoscope (metal cannulae)

- | xenon-halogen light;
- | otoscope and ophthalmoscope + handle and 2 heads;
- | 3 metal cannulae (4, 5, and 6 mm in diameter);
- | 2 metal specula (4.5-7 mm in diameter).

Cat. No. **31425**



31451



31447



31454

ACCESSORIES

Cat. No.	Name
31451	Set of 5 plastic cannulae (2.5, 3.5, 4.5, 5.5, 9 mm in diameter)
31447	Set of 3 plastic cannulae (4, 5, 7 mm in diameter)
31453	Set of 3 metal cannulae + 2 metal specula (cannulae: 4, 5, 6 mm in diameter) 2 metal specula (4.5-7 mm in diameter).
31454	Nasal speculum
31427	Xenon-halogen lamp for otoscopes
31428	Standard otoscope lamp
31449	Lampa otoskopowa standardowa



31453

VIDEOTOSCOPES

PARKER veterinary otoscope

- | videotoscope with image freezing function;
- | 2.4 inch colour digital screen;
- | image resolutions 320 x 240 pixels;
- | ending made of stainless steel (5 mm in diameter);
- | sets of 2 alkaline batteries;
- | external video port .

The set includes:

- | 2 plastic camera covers;
- | 24 disposable specula;
- | 1-1.5 m video wire;
- | standard speculum, 45 mm, for ear examination (M5101-002);
- | speculum, 75 mm, for nose examination (M5101-012).

Cat. No. **270175S**

DeLux 2 videotoscope

- | videotoscope with image freezing function;
- | 2.4 inch colour digital screen;
- | image resolutions 320 x 240 pixels;
- | ending made of stainless steel (5 mm in diameter);
- | sets of 2 alkaline batteries;
- | external video port .

The set includes:

- | videotoscope;
- | long, flexible probe, 300 mm (M5101-014);
- | 2 plastic camera covers;
- | 24 disposable specula;
- | 5 m video wire;
- | standard speculum, 45 mm, for ear examination (M5101-002);
- | USB key - memory, compatible with Mac and PC computers (M5101-011);
- | speculum, 75 mm, for nose examination (M5101-012).

Cat. No. **270175P**

ACCESSORIES

Cat. No.	Name
MS101-002	Standard speculum, 45 mm, for ear examination
MS101-011	USB-memory key; compatible with Mac and OC computers
MS101-012	Speculum, 75 mm, for nose examination
MS101-013	Flexible speculum, 150 mm, for throat examination
MS101-014	Long, flexible probe, 300 mm
MS101-015	Disposable speculum covers 5 mm, 250 pcs.

Telescope (CALLIOPE) with lighting (IRIDE)

- | 3 x telescope;
 - | use distance: 35 cm;
 - | with LED lighting;
 - | enlarges;
 - | lightens;
- Can be used with or without a guard.

Cat. No. **30870**

Telescope (CALLIOPE) with lighting (IRIDE)

- | 3 x telescope;
 - | use distance: 45 cm;
 - | with LED lighting;
 - | enlarges;
 - | lightens;
- Can be used with or without a guard.

Cat. No. **30871**

Dental telescope (CALLIOPE)

- | 3 x optical magnification;
- | use distance: 35 cm;
- | waterproof telescope;
- | compatible with the TETI guard.

Cat. No. **30864**

Surgical telescope (CALLIOPE)

- | 3 x optical magnification;
- | use distance: 45 cm;
- | waterproof telescope;
- | compatible with the TETI guard.

Cat. No. **30865**

TETI guard

- | light (130 g);
- | comfortable;
- | protects the face.

Cat. No. **30860**



STETHOSCOPES

JOTARAP stethoscope

- | replaceable chromic tips;
- | ensures universal acoustics in both large and small animals;
- | detects wide bands of cardiac and pulmonary sounds.

Cat. No. **32580**



ACCESSORIES

Cat. No.	Name
32590	A set of JOTARAP replacement parts
Cat. No.	JOTARAP stethoscope tube colours
32579	purple
32580	black
32581	blue
32582	orange
32583	green
32584	yellow
32585	light blue
32586	fuchsia
32587	light pink
32588	sea green
32589	black



Littmann Classic II stethoscope

- | standard stethoscope
- | good acoustics;
- | convenient switching between low and high frequency;
- | wide choice of tube colours.



Cat. No.	Colour sample	Tube colour
32413		raspberry
32414		crimson
32415		black
32416		navy blue
32417		dark green
32418		grey
32419		burgundy
32420		teal
32421		blue
32422		orange
32423		pink
32424		light green
32480		cyan
32481		peach
32482		pine green



Membrane with band

- | large size;
- | colour: black;
- | 15 pcs in packaget.

Cat. No. **32450**



Membrane with band

- | large size;
- | colour: black; grey;
- | 5 pcs in package.

Cat. No. **32464**



Spacing cap

- | 10 pcs in package;
- | colour: black.

Cat. No. **32457, 32459**



Earpiece

- | 10 pairs in package;
- | colour: black.

Cat. No. **32451**



Littmann electronic stethoscope

- | provides exceptional auscultating;
- | 85% noise reduction;
- | perfect acoustic tightness;
- | easily identifies difficult cardiac tones, abnormal pulmonary sounds, valve regurgitation;
- | the sound sensor is located at the bottom of the tube, so the sound is more natural on the ear;
- | designed to visualise sounds;
- | can replay anytime and anywhere;
- | sounds can be stored or transferred for further analysis;
- | Bluetooth ready;
- | can be connected to a computer;
- | prints and plays sounds in the form of phonocardiograms.



Cat. No.	Name	Colour
32490	Littmann Electronic 3100	black
32491	Littmann Electronic 3100	burgundy
32492	Littmann Electronic 3100	cyan
32495	Littmann Electronic 3200	black
32496	Littmann Electronic 3200	cyan

THERMOMETERS

Galaxy digital thermometer

- | waterproof;
- | large LCD screen;
- | measurement in 10 s;
- | flexible tip.

Cat. No. **25609**



Digiflash digital thermometer

- | a thermometer for large and small animals;
- | polycarbonate packaging;
- | measurement in 10 s;
- | temperatures from 32°C to 42°C;
- | sound signal at the end of measurement;
- | battery charge indication;
- | turns off automatically;
- | waterproof;
- | shock resistant.

Cat. No. **00196000**



Vec Rectal digital thermometer

- | measurement in 8 s;
- | ergonomically suitable for animals;
- | often selected for pigs and cattle;
- | also suitable for other animal species.

Cat. No. **25588**



VE-100 ECG machine

- | 1 ECG channel;
- | LCD screen;
- | configured parameters;
- | optimal printing position;
- | built-in battery for 3 h of use;
- | digital filter.

Cat. No. **33305**

VE-300 ECG machine

- | 3 ECG channels;
- | LCD screen;
- | configured parameters;
- | optimal printing position;
- | built-in battery for 3 h of use;
- | digital filter;
- | automatic parameters of measurement and analyses;
- | can be connected to a computer or printer with a USB cable.

Cat. No. **33306**



ACCESSORIES:

- | roll of thermal paper
- | 2200 mA batteries;
- | spare wire.

Cat. No.	Name	Dimensions
32963	Rolls for model 33305	50 x 25 m
32964	Rolls for model 33306	80 x 25 m
33318	Reusable lithium batteries	
33319	ECG cable	



LARYNGOSCOPE

Laryngoscope

- | standard or halogen bulb;
- | ergonomic light;
- | easy sterilisation without removing the bulb;
- | stainless steel ensures long utilisation;
- | safely stored in a magazine.

Cat. No. **34303**



Laryngoscope tips



Cat. No.	Name	Dimensions
34318	For cats and small dog breeds	90 mm x 14 mm
34319	For medium-sized dog breeds	100 mm x 14 mm
34320	For large dog breeds	130 mm x 18 mm
34321	For giant dog breeds and other large animals	156 mm x 18 mm



Injection and infusion

B. BRAUN syringe



MORE INFORMATION ON PAGE 22 [→](#)

IV stand



MORE INFORMATION ON PAGE 25



SYRINGES / IV CATHETERS

B. BRAUN disposable syringe
2 components

- | two-component syringe: corpus, piston;
- | disposable;
- | made of top quality materials;
- | box contains 100 pcs.

Cat. No.	Name
112341M	2 ml syringe, 100 pcs package
112342M	5 ml syringe, 100 pcs package
112343M	10 ml syringe, 100 pcs package
112344M	20 ml syringe, 100 pcs package

SYRINGES / IV
CATHETERS

Catheter POLNET

- | kateter dożylny
- | trójkątne ostrze igły
- | opakowanie zawiera 50 sztuk

Cat. No.	Name
121702P	Catheter POLNET 2.1x45 mm . G-14 - orange
121705P	Catheter POLNET 1.3x45 mm . G-18 - green
121706P	Catheter POLNET 1.1x32 mm . G-20 - pink
121708P	Catheter POLNET 0.9x25 mm . G-22 - blue
121709P	Catheter POLNET 0.7x19mm . G-24 - yellow
121710P	Catheter POLNET 0.62x19 mm . G-26 - purple



B.BRAUN peripheral venous catheter

- | IV catheter;
- | triangular needle point;
- | flared-tip cannula;
- | box contains 50 pcs.

Cat. No.	Name
121709-BR	B.BRAUN G24 / 0.7x19 PVC, yellow
121708-BR	B.BRAUN G22 / 0.9x25 PVC, blue
121706-BR	B.BRAUN G20 / 1.1x33 PVC, pink
121705-BR	B.BRAUN G18 / 1.3x33 PVC, green
121704-BR	B.BRAUN G17 / 1.5x45 PVC, white
121703-BR	B.BRAUN G16 / 1.7x50 PVC, gray
121702-BR	B. BRAUN G14 / 2.2x50 PVC, orange



POLnet disposable needle

- | ultra-sharp edge guarantees minimum resistance of skin and muscles during injection;
- | silicon coating of the needle minimises resistance of tissues during injection;
- | ultra-thin needle wall facilitates the administration of highly viscous fluids;
- | box contains 100 pcs.

Cat. No.	Name
121112P	disp. needle 0.5 x 25 mm 100 pcs/pack POLnet
121253P	disp. needle 0.6 x 25 mm 100 pcs/pack POLnet
121254P	disp. needle 0.7 x 30 mm 100 pcs/pack POLnet
121255P	disp. needle 0.7 x 40 mm 100 pcs/pack POLnet
121256P	disp. needles 0.8 x 25 mm 100 pcs/pack POLnet
121258P	disp. needle 0.8 x 40 mm 100 pcs/pack POLnet
121142P	disp. needle 0.9 x 25 mm 100 pcs/pack POLnet
121143P	disp. needle 0.9 x 40 mm 100 pcs/pack POLnet
121260P	disp. needles 1.1 x 25 mm 100 pcs/pack POLnet
121262P	disp. needle 1.1 x 40 mm 100 pcs/pack POLnet
121264P	disp. needles 1.2 x 40 mm 100 pcs/pack POLnet
121266P	disp. needle 1.6 x 25 mm 100 pcs/pack POLnet
121268P	disp. needle 1.6 x 40 mm 100 pcs/pack POLnet
121269P	disp. needle 1.8 x 40 mm 100 pcs/pack POLnet
121350P	disp. needles 2.1 x 40 mm 100 pcs/pack POLnet



15 Margomed disposable infusion set

- | with filter and deaerator;
- | length: 2.16 m.

Cat. No. **230616KD**



Used needle container

- | autoclavable at 121°C;
- | with a cover ensuring the safety of use;
- | compatible with BS7320, ADR UN 3291 requirements;
- | various capacities available.

Cat. No.	Name	Capacity
25820	Used needle container	0,5 l
25821	Used needle container	1 l
25823	Used needle container	2 l
25824	Used needle container	5 l



IV stand, 4 hooks

- | stem and hook made of chromed stainless steel, the crosspiece
- | and wheels made of durable plastic;
- | height: 160-245 cm;
- | weight: 3.2 kg;
- | 4 hooks.

Cat. No. **27842**




27842

IV stand, 4 hooks

- | corpus made of stainless steel;
- | hook, crosspiece, and wheels made of durable plastic;
- | height: 160-220 cm;
- | weight: 2.9 kg;
- | 4 hooks.

Cat. No. **27844**



27844

IV stand, 4 hooks

- | whole: corpus, hook, crosspiece, and wheels made of stainless steel;
- | height: 160-220 cm;
- | weight: 3.3 kg;
- | 4 hooks.

Cat. No. **27839**



27839

IV stand, 2 hooks

- | corpus made of chromed steel;
- | hook and wheels made of durable plastic;
- | height: 160–245 cm;
- | weight: 2.9 kg;
- | 2 hooks.

Cat. No. **27841**

27841

IV stand, 2 hooks

- | corpus made of aluminium;
- | hook and wheels made of durable plastic;
- | height: 158–248 cm;
- | weight: 2.9 kg;
- | 2 hooks.

Cat. No. **27843**

27843

Compression band

- | the band can be easily put on with one hand;
- | top quality materials used for production are durable and light;
- | wide band prevents pulling hair.

Cat. No.	Name	Fastener
25724	Jetpull baby compression band	double locking system; fast and slow release system
25722	Jetpull2 compression band	double locking system; fast and slow release system
25727	Fast compression band	single locking system; slow release system



25724

25722

25727



Laboratory

Urine analyser GENRUI



MORE INFORMATION ON PAGE 36 

Biochemistry analyser



Laboratory containers

- | made of stainless steel;
- | autoclavable at 121°C;
- | available in various shapes, sizes, and capacities;
- | containers for instruments or medical waste, with or without lid;
- | bowls for fluids, jars with lid, thermometer stands, forceps stands.



26599



26600



26602



26603



26597

Cat. No.	Name/Capacity
26600	Instrument container without lid /208 x 109 x h 15 mm
26601	Instrument container without lid /210 x 160 x h 25 mm
26599	Instrument container without lid /223 x 126 x h 45 mm
26602	Instrument container without lid /264 x 172 x h 47 mm
26603	Instrument container without lid /306 x 196 x h 50 mm
26604	Instrument container without lid /355 x 254 x h 50 mm
26597	Instrument container without lid /380 x 304 x h 50 mm
26598	Instrument container without lid /440 x 320 x h 64 mm
26605	Instrument container with lid / 223 x 126 x h 45 mm
26606	Instrument container with lid /264 x 172 x h 47 mm
26607	Instrument container with lid /306 x 196 x h 50 mm
26608	Instrument container with lid /355 x 254 x h 50 mm



26605

Laboratory containers



Cat. No.	Name/Dimensions/Ccapacity
26616	Fluids bowl \varnothing 56 x h 32 mm - 50 mL
26617	Fluids bowl \varnothing 88 x h 46 mm - 170 mL
26618	Fluids bowl \varnothing 128 x h 60 mm - 450 mL
26619	Fluids bowl \varnothing 158 x h 75 mm - 940 mL
26621	Fluids bowl \varnothing 208 x h 84 mm - 1940 mL
26622	Fluids bowl \varnothing 258 x h 92 mm - 3200 mL
26623	Jar with lid 0.5 i \varnothing 102 x 65 mm
26624	Jar with lid 1 i \varnothing 103 x 126 mm
26625	Jar with lid 2 i \varnothing 127 x 161 mm
26628	Thermometer stand \varnothing 33 x h 80 mm
26626	Forceps stand \varnothing 55x h 140 mm
26627	Forceps stand \varnothing 55x h 180 mm



Cat litter

enables easy and stress-free sampling of animal urine for analysis.

Cat. No. **275021**



Urine analysis strips, 11 parameters

- | strips for urinalysis used for qualitative and semi-qualitative urinalysis;
- | sensitive to: leukocytes, nitrites, urobilinogen, protein, pH, blood, specific gravity, ascorbic acid, ketone bodies, bilirubin, and glucose;
- | for visual analysis and readers;
- | reading in about 1 minute (leukocytes in 60–120 seconds);
- | store in a dark place, at 10–30°C;
- | 1 box contains 100 strips.

Cat. No. **290798P**



Petri dishes

- | culture Petri dishes;
- | glass, 90 mm in diameter;
- | made of polystyrene (sterile and aseptic), diameter 90 mm, height 14.2 mm, without ventilation ribbing.

Cat. No.	Name/Capacity
290560	Glass Petri dishes, diameter 90 mm
610.092	Polystyrene Petri dishes, diameter 90 mm, sterile
611.092	Polystyrene Petri dishes, diameter 90 mm, aseptic



Laboratory cover glasses

- high-quality microscope cover glasses, indispensable in every laboratory with a microscope;
- cover glasses available in 4 sizes;
- box contains 50 pieces (base glasses) and 100 pieces (cover glasses).

Cat. No.	Name
290284	Cover glasses, 20 x 20 (100 pcs)
290280	Cover glasses, 18 x 18 (100 pcs)
290282	Cover glasses, 22 x 22 (100 pcs)
290284A	Cover glasses, 24 x 24 (100 pcs)
290270P	Base glasses, unpolished, 76 x 26 mm (50 pcs)



Urine container

- urinalysis container with screw cap;
- with adhesive label;
- made of polypropylene (25970) or polystyrene (25972).

Cat. No.	Name
25970	120 mL urinalysis container, with screw cap



Stool container

- stool analysis container;
- with screw cap and small spatula;
- made of polypropylene.

Cat. No.	Name
25971	30 mL stool analysis container, with screw cap and small spatula



MÜLLER HINTON agar base

- used for determining microbial sensitivity to antibiotics and chemotherapeutics;
- indications: E. Coli, Streptococcus, Staphylococcus, Micrococcus;
- box contains 6 pcs.

Cat. No. **290614**



SABOURAUD agar base

- used for culturing yeasts and fungi from material sampled mainly from skin infections;
- indications: Candida;
- box contains 6 pcs.

Cat. No. **290612**



MANNITOL agar base with salt

- used for isolating and differentiating Staphylococci. Staphylococcus aureus (coagulase-positive) – creates colonies with yellow rim;
- Staphylococcus epidermidis – does not change the red colour of the base;
- growth of other microorganisms is minimal or arrested;
- box contains 6 pcs.

Cat. No. **290616**



DERMAFYT test

- the growth of Trichophyton or Microsporum changes the base colour from yellow to red;
- box contains 6 pcs.

Cat. No. **290610**



Bactericidal lamp

- | for increasing and maintaining the microbiological cleanness of rooms;
- | direct action bactericidal lamp;
- | irreversibly deactivate bacteria, viruses, moulds, fungi, and all other microorganisms.

Cat. No. **NBV_30_N**



Swabs

- | 150 x 3 mm wooden swabs;
- | non-sterile.

Cat. No. **577.1**



Swab in a tube

- | swabs in transport tubes;
- | plastic applicator;
- | sterile.

Cat. No.	Name
581.2D	Swab in transport tube



HEMATOLOGY ANALYZER

KT6200VET Hematology Analyzer

- | Animal species: Canine, Bovine, Feline, Ovine, Equine, Simian, Porcine, Murine, and 4 user-defined species
- | Principle: Impedance for WBC, RBC, PLT counting
- | Compact design
- | Throughput: 35 samples per hour
- | 3-part differentiation of WBC, 20 parameters +3 histograms
- | 3 counting modes: whole blood, capillary blood and prediluted
- | Micro sample volume: 10 ul
- | Built-in thermal printer

Parameters:

WBC, NEU#, LYM#, MID#, NEU%, LYM%, MID%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CW, PLT, MPV, PDW, PCT, P-LCR

Histograms:

WBC, RBC, PLT

Cat. No. **GEN_6200**



KT 6400 VET

- | Principle: Impedance for WBC, RBC, PLT counting
- | Throughput: 60 samples per hour
- | 3-part differentiation of WBC, 20 parameters +3 histograms
- | 3 counting modes: whole blood, capillary blood and prediluted
- | Micro sample volume: 10 µL
- | Storage: up to 100,000 sample results (including histograms)
- | Support external printer, barcode and LIS

Parameters:

WBC, NEU#, LYM#, MID#, NEU%, LYM%, MID%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CW, PLT, MPV, PDW, PCT, P-LCR

Histograms:

WBC, RBC, PLT

Cat. No. **GEN_6400**



BA 600 VET

- | 5-inch touch screen
- | Strips: 11 parameters
- | 100 samples/hour
- | Dual wavelength reflectance test method
- | Auto & manual test mode
- | Thermal printer, auto & manual print
- | Less and easy maintenance

Cat. No. **GEN_600B**



Electrolyte analyzer

- | Animal species: Canine, Feline, Equine, Bovine, Porcine, Others
- | Throughput: 60 samples per hour
- | Sample volume: 100-200µL
- | Ion: K+, Na+, Cl-, iCa²⁺, pH, Li+, customized selection of ions, optional CO₂
- | Calibration: Automatic or On-demand
- | Closed reagent, real time monitoring reagent
- | Printer: Internal thermal printer
- | Display: LCD
- | Storage: Up to 50,000 results
- | Interface: RS-232, support LIS

Cat. No. **GEN_300G**



Coagulation analyzer

- | Parameters: PT, APTT, TT, FIB, etc.
- | Principle: Clotting, optical method
- | Disposable cuvette, no carry-over
- | Precise electronic pipette
- | Automatic start at reagent addition
- | Built-in thermal printer, auto&manual print

Cat. No. **GEN_520C**



WP21B VET chemistry analyzer

WP21B is a semi-automatic chemistry analyzer with large touch-screen and easy-to-use operation software, which is suitable for small labs, clinics.

Product Specifications:

- | 5-inch touch screen and keypad
- | Permanent quartz flowcell
- | Long-life halogen lamp
- | Reaction curve real time display
- | Support LIS
- | Flowcell & cuvette modes
- | Built-in thermal printer
- | Less and easy maintenance

Parameters:

- | ALT, ALP, GGT, TP, Alb, TBIL, DBIL
- | LDH, CK, CK-MB, AST, A-HBDH
- | CHO, TG, HDL_C, LDL_C
- | Apo A1, Apo B, Lp(a)
- | BUN, CRE, UA
- | CO2-CP, AMS, LIP, GLU, IgA, IgG, IgM, C₃, C₄, CRP

Cat. No. **GEN_210B**



Centrifuge NF 200

- the NF 200 table centrifuge is designed for separating blood samples, sedimentation of urine particles, and for performing routine applications in microbiological laboratories;
- the use of a microprocessor control system allows the user to program and control the speed and time;
- operation with 1.5/2 mL eppendorf tube rotors.

Technical parameters:

- maximum speed: 5000 rpm;
- maximum RCF: 2822 x g;
- maximum capacity: 12 x 1.5 mL;
- microprocessor control system;
- speed range: 1000-5000 rpm;
- speed step: 10 rpm;
- time range: 01-99 min + HOLD POSITION;
- time step: 1 min;
- induction motor;
- power supply: 230 V/50 Hz;
- power: 350 W;
- external dimensions: 274 x 355 x 238;
- net/gross weight (kg): 11/12.

Cat. No.	Name/Capacity
300005	NF 200 centrifuge
300006	1.5/2 mL tube, rotor reductor set
300007	13 x 100 mm tube, rotor reductor set
300008	13 x 75 mm tube, rotor reductor set



Microscope SME-F

- biological microscope;
- attachment: monocular, binocular, or trinocular;
- oculars: 10x, 16x, or 20x;
- lenses: 4x, 10x, 40x, 100x/immersion/, optional 20x, 60x;
- stage: 110 x 126 mm X-Y, mechanical;
- condenser: Abbe with mechanism, iris diaphragm, and filter grip;
- focus: micro and macro;
- illuminator: adjustable halogen.

Optional:

- c-mount video connector;
- LED lighting.

Cat. No. **91255**



MICROSCOPES

Microscope N-180

- | biological microscope;
- | attachment: binocular or trinocular;
- | oculars: wide-angle 10x, optional 12.5x;
- | lenses: Plan Achromat 4xm 10x, 40x, 100x /immersion/, optional 20x, 60x;
- | stage: 140 x 140 mm X-Y, mechanical;
- | condenser: Abbe with mechanism, iris diaphragm, and filter grip;
- | focus: micro/macro;
- | illuminator: adjustable halogen.

Optional:

- | c-mount video connector;
- | five-position revolving grip;
- | dark field;
- | phase contrast;
- | fluorescence;
- | heating stage.

Cat. No. **91253**



Microscope SPB

- | biological microscope;
- | attachment: monocular, binocular, or trinocular;
- | oculars: 10x, 16x, or 20x;
- | lenses: 4x, 10x, 40x, 100x /immersion/, optional 20x, 60x;
- | stage: 135 x 135 mm X-Y, mechanical;
- | condenser: Abbe with mechanism, iris diaphragm, and filter grip;
- | focus: micro/macro;
- | lighting: adjustable halogen.

Optional:

- | c-mount video connector;
- | LED lighting.
- | heating stage.

Cat. No. **91254**





Hygiene

Dry Gimette steriliser



MORE INFORMATION ON PAGE 48 [→](#)

Europa B autoclave



REUSABLE CLOTHES

Sweatshirts

- | professional;
- | stylish;
- | 100% cotton;
- | all female and male sizes;
- | white, green, light blue, patterned.

Size	White colour	Green colour	Light blue colour	Pattern
XS	26124	26126	26128	-
S	26130	26140	26150	26170
M	26131	26141	26151	26171
L	26132	26142	26152	26172
XL	26133	26143	26153	26173
XXL	26134	26144	26154	-



Trousers

- | professional;
- | stylish;
- | 100% cotton;
- | all female and male sizes;
- | white, green, light blue.

Size	White colour	Green colour	Light blue colour
XS	26125	26127	26129
S	26135	26145	26155
M	26136	26146	26156
L	26137	26147	26157
XL	26138	26148	26158
XXL	26139	26149	26159



Ultrasonic cleaner, mechanical timer

- | capacity: from 2.8 litre;
- | fast and safer than other methods;
- | cleans oil and wax;
- | removes all thoroughly;
- | cleans the most stubborn dirt;
- | mechanical timer up to 60 min. with optional extension;
- | weight: from 4.1 kg.

Ultrasound cleaner, mechanical timer + overheating sensor

- | capacity: from 2.8 litre;
- | fast and safer than other methods;
- | cleans oil and wax;
- | removes all thoroughly;
- | cleans the most stubborn dirt;
- | mechanical timer, heating option with overheating sensor (in case of lack of fluids);
- | weight: from 4.1 kg.

Digital ultrasound cleaner

- | capacity 2.8 litre;
- | fast and safer than other methods;
- | cleans oil and wax;
- | removes all thoroughly;
- | cleans the most stubborn dirt;
- | digital timer, heating option with overheating sensor (in case of lack of fluids);
- | temperature monitor.



35501



35502



35503



35510



35511



35512

Ultrasound cleaners	Branson 2510 2.8 litre	Branson 3510 5.5 litre	Branson 5510 9.5 litre	Branson 8510 20 litre
Mechanical timer	35501	35510	35520	35531
Mechanical times + heating	35502	35511	35521	35532
Digital control, heating, timer	35503	35512	35522	35533
Chamber size [mm]:	240 x 140 x 100	290 x 150 x 150	290 x 240 x 150	495 x 280 x 150
Internal dimensions [mm]:	338 x 295 x 305	399 x 371 x 318	399 x 371 x 401	599 x 376 x 467
Capacity [litres]	2.8	5.5	9.5	20
Seal set + net	nie	tak	tak	tak
Weight [kg]:	4,1	4,9	5,9	11,8
Power consump. without heating [W]:	130	130	185	320
Power consumption with heating	239	335	469	881
Frequency [kHz]:	40	40	40	40

ACCESSORIES FOR ULTRASOUND CLEANERS



35522



35520



35521



35531



35532



35533



35507



35509



35527



355029




35517



35519



35537



355039

Ultrasound cleaners	Branson 2510 2.8 litre	Branson 3510 5.5 litre	Branson 5510 9.5 litre	Branson 8510 20 litre
Branson 2510 cover	35507	35517	35527	35537
Perforated tray	35508	35518	35528	35538
Beaker positioning cover	35509	35519	35529	35539
Glass beaker	35540	35540	-	-
Glass beaker	35541	35541	35541	35541

Tau 1.6 steriliser

- | meets all requirements of everyday sterilisation;
- | fully automatic;
- | durable;
- | guarantees complete safety of operations;
- | double walls of internal isolation;
- | interior made of 18/8 stainless steel;
- | timer up to 120 minutes.

Cat. No. **35600**



Tau 18 steriliser

- | meets all requirements of everyday sterilisation;
- | fully automatic;
- | durable;
- | guarantees complete safety of operations;
- | double walls of internal isolation;
- | interior made of 18/8 stainless steel;
- | timer up to 120 minutes;
- | set includes: fuses, neon lamps for time control, thermostat, power supply cord.

Cat. No. **35619**



STERILISERS

Dry Gimette steriliser

- | automatic;
- | durable;
- | shock-resistant;
- | kills even particularly resistant microorganisms;
- | made of stainless steel;
- | four perforated aluminium trays;
- | LED light indicating improper thermoregulation.

Cat. No. **35621**



Cat. No.	Name	Capacity	Internal dimensions	External dimensions	Weight
35600	Tau 1.6	1.6 l	245 x 115 x 55 mm	310 x 180 x 180 mm	5 kg
35606	Tau 6	6 l	385 x 270 x 90 mm	495 x 320 x 220 mm	8 kg
35619	Tau 18	18 l	375 x 230 x 200 mm	440 x 310 x 380 mm	14 kg
35621	Dry Gimette 21	20 l	300 x 250 x 260 mm	440 x 340 x 400 mm	13 kg
35628	Dry Gimette 28	28 l	380 x 250 x 260 mm	550 x 340 x 400 mm	17 kg
32629	Dry Gimette 50	50 l	405 x 340 x 350 mm	605 x 460 x 480 mm	24.5 kg

Europa B autoclave

- | class B;
- | microprocessor electronic system;
- | electronic control;
- | automatic equalisation of atmospheric pressure;
- | multifunctional graphic display;
- | triple door lock (door open only when inside pressure equals 0);
- | 6 automatic sterilisation cycles;
- | with anti-condensation function and automatic shutdown;
- | even heat distribution;
- | stainless steel;
- | the device always stays dry (thanks to a combination of vacuum and heat);
- | clean and waste water containers provide better circulation and prolonged device life.

Cat. No. **35653**



NUBYRA autoclave

- | class B;
- | electronic;
- | 2 sterilisation cycles;
- | for sterilising unpacked tools;
- | controlled with a microprocessor;
- | LCD display with temperature and pressure visualisation;
- | sterilisation cycle control;
- | easy locking system with a double safety sensor;
- | thermodynamic system;
- | aluminium chamber;
- | 2 electronic temperature sensors (1 inside, 1 outside);
- | electronic converter for better pressure control;
- | 3 aluminum trays.

Cat. No. **35647**



AUTOCLAVES

Hydra Evo autoclave

- | class N;
- | automatic;
- | 2 sterilisation cycles;
- | for sterilising unpacked instruments;
- | locking system with a safety axis;
- | thermodynamic system;
- | preset cycles;
- | one water container;
- | 2 locks on the door;
- | chamber made of stainless steel.
- | thermostat;
- | 4 aluminum trays + 1 key for removing them.



Cat. No.	Name	Capacity	Internal dimensions	External dimensions	Weight
35653	Europa B	15 l	ø 245 x 320 mm	510 x 590 x 390 mm	54 kg
35657	Europa B	24 l	ø 245 x 500 mm	510 x 730 x 390 mm	58 kg
35647	Nubyra	6 l	ø 17 x 27 cm	450 x 450 x 305 mm	27 kg
35658	Hydra Evo	15 l	ø 24,5 x 32 cm	440 x 380 x 500 mm	35 kg
35659	Hydra Evo	18 l	ø 24,5 x 40 cm	440 x 380 x 500 mm	35 kg

Self-welding autoclave foil

- | enforced corners to prevent the accumulation of dust;
- | a layer of laminated transparent foil and a layer of moisture resistant paper;
- | ensures high antibacterial protection;
- | external welding of the entire length of the case;
- | certified bags.

Cat. No.	Name	Size
35860	Self-welding autoclave foil	90 x 165 mm
35861	Self-welding autoclave foil	90 x 230 mm
35862	Self-welding autoclave foil	140 x 250 mm
35863	Self-welding autoclave foil	190 x 330 mm
35864	Self-welding autoclave foil	190 x 400 mm
35866	Self-welding autoclave foil	300 x 450 mm



D-301 welder without accessories

- | compact, without accessories;
- | perfect in dentistry as well as medical and veterinary laboratories;
- | started manually;
- | vertical design to minimise area;
- | removable roll handle;
- | constant welding temperature;
- | constant sealing time.

Cat. No. **35930**



D-351 welder, set

- | with roll handle and cut-off tool;
- | perfect in dentistry as well as medical and veterinary laboratories;
- | started manually;
- | vertical design to minimise area;
- | removable roll handle;
- | constant welding temperature;
- | constant sealing time.


Cat. No. **35931**



Roll of welding sleeve

- | for autoclave sterilisation;
- | in transparent polyester-polyethylen foil combined with medical paper;
- | vapour and gaseous indicators provide clear changes of colour during sterilisation;
- | 200 m rolls.

Cat. No.	Name	L x W
35810	Roll of welding sleeve	200 m x 50 mm
35811	Roll of welding sleeve	200 m x 75 mm
35812	Roll of welding sleeve	200 m x 100 mm
35813	Roll of welding sleeve	200 m x 150 mm
35814	Roll of welding sleeve	200 m x 200 mm
35817	Roll of welding sleeve	200 m x 250 mm
35815	Roll of welding sleeve	200 m x 300 mm
35816	Roll of welding sleeve	200 m x 400 mm



Latex gloves

- | gloves contain latex;
- | disposable;
- | top quality of manufacture;
- | elastic;
- | tension-resistant;
- | lightly powdered;
- | 100 pcs in package;
- | convenient package.

Cat. No.	Name
260801P	Latex gloves „S“ /100 szt.
260802P	Latex gloves „M“ /100 szt.
260803P	Latex gloves „L“ /100 szt.
260805P	Latex gloves „XL“ /100szt
260809P	Latex gloves „XS“ /100 szt.



Mint latex gloves

- | gloves contain latex;
- | with a slight mint scent;
- | disposable;
- | top quality of manufacture;
- | elastic;
- | tension-resistant;
- | lightly powdered;
- | 100 pcs in package;
- | convenient package.

Cat. No.	Name
260801-M	Mint latex gloves „S“/100 szt.
260802-M	Mint latex gloves „M“/100 szt.
260803-M	Mint latex gloves „L“/100 szt.
260805-M	Mint latex gloves „XL“/100 szt.
260809-M	Mint latex gloves „XS“/100 szt.



Nitrile gloves

- | contain nitrile;
- | blue colour;
- | disposable;
- | top quality of manufacture;
- | slightly elastic;
- | tension-resistant;
- | lightly powdered;
- | 100 pcs in package;
- | convenient package.

Cat. No.	Name
260680-N	Nitrile gloves „S“ /100 szt.
260681-N	Nitrile gloves „M“ /100 szt.
260682-N	Nitrile gloves „L“ /100 szt.
260683-N	Nitrile gloves „XL“ /100 szt.
260684-N	Nitrile gloves „XS“ /100 szt.



Slightly powdered vinyl gloves

- | contain vinyl;
- | disposable;
- | top quality of manufacture;
- | slightly elastic;
- | tension-resistant;
- | lightly powdered;
- | 100 pcs in package;
- | convenient package.

Cat. No.	Name
260791P	Slightly powdered vinyl gloves „XS“/100 szt.
260792P	Slightly powdered vinyl gloves „S“/100 szt.
260793P	Slightly powdered vinyl gloves „M“/100 szt.
260794P	Slightly powdered vinyl gloves „L“/100 szt.
260795P	Slightly powdered vinyl gloves „XL“/100 szt.



Sterile latex gloves

- | gloves contain latex;
- | disposable;
- | sterile;
- | top quality of manufacture;
- | elastic;
- | tension-resistant;
- | lightly powdered;
- | 50 pairs in package;
- | convenient package.

Cat. No.	Glove size
260971	6,0
260972	6,5
260973	7,0
260974	7,5
260975	8,0
260976	8,5
260977	9,0



Disposable cap, beret-style

- | non-woven polypropylene cap, flat with elastic band on the edge;
- | thickness: 12 g/m²;
- | size: 53 cm;
- | colour: white, blue and other;
- | box contains 100 pcs.

Cat. No. **260003P**



Disposable cap, clip-type

- | disposable folded clip cap;
- | thickness: 14 g/m²;
- | polypropylene non-woven fabric;
- | colour: white, blue and other;
- | box contains 100 pcs.

Cat. No. **260004P**



Filter fleece coat

- | filter fleece coat;
- | thickness from 30 g/m²;
- | colour: eg green;
- | finished with elastic cuffs.

Cat. No. Coat size

260001L L

260001XL XL

260001XXL XXL



Surgical mask

- | non-woven fabric mask;
- | 3 layers;
- | 50 pcs in package;
- | elastic put on ears.

Cat. No. **260002P**



Foil coat

- | white coat;
- | made from LDPE foil;
- | thickness: 0.03 mm;
- | size: 80 x 160;
- | fixing: carton strip;
- | 100 pcs in package.

Cat. No. **260007P**



Preparat Sekusept Pulver

efficient in the washing and disinfection of medical devices and surfaces.

Cat. No. **325001**



Preparat Sekusept Plus

liquid concentrate;
dedicated for the washing and disinfection of tools in medical and dental surgeries as well as in hair and beauty salons.

Cat. No. **325002**



Preparat Actichlor Plus

chlorine-based product in the form of fizzy tablets;
dedicated for washing and disinfecting surfaces;
can also be used to inactivate a dangerous material;
efficient disinfection of sanitary facilities and drains.

Cat. No. **325003**



ECOLAB®**Incidin Plus**

- | for washing and disinfecting surfaces, with bactericidal and fungicidal action;
- | ensures fast and reliable disinfection with perfect surface tolerance;
- | based on glucoprotamin.

Cat. No. **325004**

**Laudamonium**

- | surface disinfection product;
- | highly tolerable by skin, so its can be used in antifungal prevention.

Cat. No. **325005**

**Incidur Spray**

- | for fast disinfection by spraying
- | or wiping small and hard to reach surfaces (eg tables, small equipment, contaminated surfaces).

Cat. No. **325006**



Sani-Cloth Active wipes

- | disinfecting and washing non-alcohol wipes, ready to use;
- | wide spectrum of action (eg noroviruses) with perfect material tolerance.

Cat. No. **325007**



Incides N wipes

- | practical antibacterial wipes soaked in alcohol;
- | for disinfecting small surfaces.

Cat. No. **325008**



Incidin Foam

- | fast-action disinfecting and washing foam;
- | can be used on surfaces sensitive to alcohols, like plexiglass or acryl.

Cat. No. **325009**



ECOLAB®

Manisoft

- | mild liquid handwash;
- | does not contain soap;
- | a combination of mild, skin-friendly, actively washing synthetic substances (APG).
- | maintains the natural, slightly acidic skin reaction (pH 5.0);
- | pleasant scent.

Cat. No. **325010**



Hydrex

- | product for hygienic and surgical hand disinfection as well as for the disinfection of patient's body before surgery;
- | based on chlorhexidine, a bactericidal and fungicidal agent;
- | inactivates HBV and HIV.

Cat. No. **325011**



Spirigel Complete

- | innovative alcohol-based gel hand disinfectant providing complete antiviral protection;
- | no risk of skin irritation;
- | contains 7 conditioning substances (aloe, panthenol, glycerine, etc), so it is delicate for the skin in providing complete protection;
- | recommended for both hygienic and surgical hand disinfection.

Cat. No. **3250012**



Skinman Complete

- | disinfectant with substances protecting and lubricating hand skin (pH 5.5);
- | effective against bacteria (also tubercle bacilli), fungi, and viruses, eg HBV and HIV
- | recommended for sensitive skin;
- | tested in accordance with EN 1500 and EN 12054.

Cat. No. **3250013**



Silonda, Silonda lipid

- | hand moisturiser;
- | regulates the level of skin moisturisation and lubrication;
- | absorbs perfectly;
- | Silonda Lipid is a skin lubricant with regenerative properties;
- | improves skin elasticity and moisturisation.

Cat. No. **325014**



Skinsept Pur

- | for disinfecting skin before surgeries, injections, punctures, taking blood samples, and vaccination;
- | complex product including active substances of proven clinical efficacy;
- | effective against bacteria, fungi, and viruses found on skin;
- | disinfects and ungreases the skin;
- | autosterile.

Cat. No. **3250015**





Preparat Skinsept Color

- | for disinfecting skin before surgeries, injections, punctures, taking blood samples, and vaccination;
- | complex product including active substances of proven clinical efficacy;
- | disinfects and ungrees the skin, but also visualises the treated area by colouration;
- | autosterile.

Cat. No. **325016**



Dermados

- | elbow dispenser for the hygienic dosage of washing, disinfection, and conditioning products, eg Manisoft, Spitaderm, Silonda;
- | suitable for 0.5 L bottles.

Cat. No. **325017**



Wanna 2 l

- | a tub for preparing solutions;
- | capacity 2 L.

Cat. No. **325018**



Closed bag dispenser

- | Closed bag dispenser;
- | capacity 800 mL.

Cat. No. **325019**

ECOLAB

Wall-mounted clip

- | for 500 ml bottles with washing or conditioning products.

Cat. No. **325020**


**NOTE!**

Buy a washing and disinfection pack and get a **FREE dispenser**. We adjust washing and disinfection programs to individual needs of Clients and we print out wall-mounted plans of washing and disinfection **FREE OF CHARGE**. For more information call **61 657 67 21**, or go to **www.polnet-wet.pl** and **Facebook**.



Dressing materials

FUNNYflex end POLflex adhesive bands



MORE INFORMATION ON PAGE 66 →

Adhesive tape

- | indicated for sensitive skin;
- | with acrylic glue;
- | highly permeable by air and vapour, so the skin can breathe and does not sweat.

Cat. No.	Name
161112	1.25 cm x 9.15 m adhesive tape
161113	2.5 cm x 9.15 m adhesive tape
161114	5 cm x 9.15 m adhesive tape



Viscose knit band

- | manufactured from quality viscose fibres giving the necessary softness, absorption, and permeability;
- | bands knit in a way preventing fraying;
- | several widths for maximum convenience.

Cat. No.	Name
161140	5 cm x 4 m viscose knit band
161141	10 cm x 4 m viscose knit band
161142	15 cm x 4 m viscose knit band
161108	6 cm x 5 m viscose knit band
161109	8 cm x 5 m viscose knit band
161110	10 cm x 5 m viscose knit band
161118	14 cm x 5 m viscose knit band



Elastic band

- | for the treatment of venous and lymphatic system insufficiency;
- | adjusts perfectly to the shape of the body and does not slip when used;
- | several widths available, with 5 m length.

Cat. No.	Name
161119	6 cm x 5 m elastic band
161120	8 cm x 5 m elastic band
161121	10 cm x 5 m elastic band
161143	12 cm x 5 m elastic band
161144	15 cm x 5 m elastic band




ELASTIC BANDS

Adhesive elastic band POLflex

- exceptional adhesive properties of the band: individual layers unite, but the band does not stick to fur or hair;
- the stripe facilitates unrolling the band;
- durable material that can be easily put on and fastened but also easily removed without using scissors;
- available in 4 popular colours, 3 widths 4.5 m long.

Cat. No.	Name
164000S	Adhesive elastic band POLflex 2.5 cm (mix)
164002S	Adhesive elastic band POLflex 5 cm (mix)
164004S	Adhesive elastic band POLflex 7.5 cm (mix)
164006S	Adhesive elastic band POLflex 10 cm (mix)
164008S	Adhesive elastic band POLflex 15 cm (mix)



FUNNY FLEX adhesive band

- adhesive band based on a patented technology;
- no scissors needed to tear off a fragment;
- waterproof;
- controlled adhesion without compression;
- reusable.

Cat. No.	Name
164000P	FUNNY FLEX adhesive band 2.5 cm mix
164002P	FUNNY FLEX adhesive band 5 cm mix
164004P	FUNNY FLEX adhesive band 7.5 cm mix
164006P	FUNNY FLEX adhesive band 10 cm mix



Rolled cellulose wadding

- rolls made of bleached cellulose wadding, smooth and homogenous in structure, highly absorbent, creped;
- no optical brighteners are used during production, but over 80% white is achieved;
- cellulose wadding in this form is perfect for hygienic purposes; they are soft and do not fluff during use.

Cat. No.	Name
161105	Rolled cellulose wadding, 100 g
161106	Rolled cellulose wadding, 500 g
161107	Rolled cellulose wadding, 1000 g
161145	Rolled cellulose wadding, 1500 g



Cellulose wadding

- cellulose sections made of bleached and non-bleached cellulose wadding, smooth and homogenous in structure, highly absorbent, creped;
- sections are cut very precisely to 40 x 60 cm and packed 5 kg per package, with foil packaging and external carton box;
- cellulose wadding in this form is perfect for hygienic applications.

Cat. No.	Name
161105	Cellulose wadding 100 g
161106	Cellulose wadding 500 g
161107	Cellulose wadding 1000 g
161145	Cellulose wadding 1500 g



Dental rolls

- made of 100% cotton formed into rolls, with hardened surface;
- the use of pure cotton ensures high absorption and quick penetration to the core of the roll;
- the roll retains its shape as it soaks, while the surface does not tear during fraction.

Cat. No.	Name
161111	Dental rolls 10 mm



WADDING / GAUZE COMPRESSES

Cotton-viscose wadding

- made from a mixture of cotton and viscose;
- soft, selected for high absorption;
- in foil packaging;
- folded wadding used in cosmetics and for medical purposes.

Cat. No.	Name
161131	Cotton-viscose wadding 100 g
161132	Cotton-viscose wadding 200 g
161133	Cotton-viscose wadding 500 g
161134	Cotton-viscose wadding 1000 g



Non-sterile gauze compress

- sheet made of 5 layers;
- 100% cotton gauze, bleached without the use of chloride;
- 17 threads/cm²;
- edges not folded;
- without X-ray detectable thread.

Cat. No.	Name
160180	Non-sterile gauze compress/17N/8W 5 cm x 5 cm
160175	Non-sterile gauze compress/17N/8W 7,5 cm x 7,5 cm
160170	Non-sterile gauze compress/17N/8W 10 cm x 10 cm



Sterile gauze compress

- sheet made of 100% cotton gauze, bleached without the use of chloride;
- 17 threads/cm²;
- available in three sizes with ES folded edges;
- without X-ray detectable thread.

Cat. No.	Name
160200	Sterile gauze compress, 17N/8W 5 x 5 A2
160205	Sterile gauze compress, 17N/8W 5 x 5 A5
160210	Sterile gauze compress, 17N/8W 5 x 5 A10
160215	Sterile gauze compress, 17N/8W 7,5 x 7,5 A2
160220	Sterile gauze compress, 7N/8W 7,5 x 7,5 A5
160225	Sterile gauze compress, 17N/8W 7,5 x 7,5 A10
160230	Sterile gauze compress, 17N/8W 10 x 10 A2
160235	Sterile gauze compress, 17N/8W 10 x 10 A5
160240	Sterile gauze compress, 17N/8W 10 x 10 A10



Sterile gauze

- | sterile gauze sold by the metre is made of 17-thread 100% cotton gauze, bleached without chloride (HP);
- | sterilised with ethylene oxide (ETO);
- | packed in blisters.

Cat. No.	Name
----------	------

161128	Sterile gauze, 1/2 m ² 17 N
--------	--

161129	Sterile gauze, 1 m ² 17 N
--------	--------------------------------------

161130	Sterile gauze, 1/4 m ² 17 N
--------	--



Sterile gauze tuffer

- | made of 100% cotton gauze, bleached without chloride, 17 or 20 threads/cm²;
- | pad size depends on the size of gauze fragment used for rolling the tuffer.

Cat. No.	Name
----------	------

161127	Gauze tuffer 9/9 sterile, 5 pcs.
--------	----------------------------------

161126	Gauze tuffer 9/9 sterile, 10 pcs.
--------	-----------------------------------



Plaster bandage

- | bandage used for immobilising extremities after fractures and injuries;
- | plaster bandage made of natural gypsum applied on both sides of a cotton base;
- | the bandage must be soaked shortly, then initial application takes about 4–8 minutes;
- | manufactured in several widths, 3 m long;
- | individually packed.

Cat. No.	Name
----------	------

161122	6 cm x 3 cm plaster bandage
--------	-----------------------------

161123	8 cm x 3 cm plaster bandage
--------	-----------------------------

161124	10 cm x 3 cm plaster bandage
--------	------------------------------

161125	12 cm x 3 cm plaster bandage
--------	------------------------------

161150	15 cm x 3 cm plaster bandage
--------	------------------------------



PLASTER LINING / BANDS

Synthetic plaster lining

- made of non-absorbent polyester, slightly elastic longitudinally and laterally;
- soft, delicate to the touch, 1.5-2 mm thick;
- intended as a soft filling under a plaster bandage.

Cat. No.	Name
161115	5 cm z 3 m synthetic plaster lining
161116	8 cm z 3 m synthetic plaster lining
161117	10 cm z 3 m synthetic plaster lining
161118	15 cm z 3 m synthetic plaster lining



VET-LITE band

- durable, light immobilising band;
- submerged in hot water, it softens and can be formed at will, eg on a limb;
- does not react with urine and faecal matter.

Cat. No.	Name
160610	5 cm z 1.6 m VET-LITE band
160620	7.5 cm z 1.6 m VET-LITE band
160630	10 cm z 1.6 m VET-LITE band
160640	15 cm z 1.6 m VET-LITE band




Paw stabiliser

- plastic paw stabiliser;
- with protective foam exceeding the edges of the stabiliser to protect the animal;
- with multiple vents that enable air circulation;
- made of very strong material, with no sharp edges;
- can be cut to fit the length of paw.

Cat. No.	Name
307800	20 cm paw stabiliser, blue
307805	30 cm paw stabiliser, red
307810	40 cm paw stabiliser, green





Suture

Surgicryl® PGA



MORE INFORMATION ON PAGE 74 

Catgut Chromic

- | Natural collagen
- | Twisted multifilament with a monofilament aspect
- | Absorbable

Metric EP	USP	Length	Order number
1,5	5/0	100 m	2015
2	4/0	100 m	2020
2	4/0	50 m	20205
3	3/0	100 m	2030
3	3/0	50 m	20305
3,5	2/0	100 m	2035
3,5	2/0	50 m	20355
4	0	100 m	2040
4	0	75 m	20407
4	0	50 m	20405
5	1	75 m	2050
5	1	50 m	20505
6	2	50 m	2060
7	3	50 m	2070
8	4	30 m	2080
8	4	25 m	20802
9	5	30 m	2090
10	6	30 m	2100



Catgut Plain

- | Natural collagen
- | Twisted multifilament with a monofilament aspect
- | Absorbable

Metric EP	USP	Length	Order number
2	4/0	100 m	1020
3	3/0	100 m	1030
3,5	2/0	100 m	1035
4	0	100 m	1040
5	1	75 m	1050
6	2	50 m	1060
7	3	50 m	1070
8	4	30 m	1080
9	5	30 m	1090
10	6	30 m	1100



SURGICRYL® PGA / SAFETY POLYPROPYLENE

Surgicryl® PGA

- | Type
- | Braided and coated multifilament
- | Composition Polyglycolic acid
- | Coating Polycaprolactone and calcium stearate (1%)
- | Tissue reaction Minimal
- | Absorption The hydrolytic action by which the material is broken down results in total absorption in approximately 60 to 90 days.
- | Approximately
- | 50% of tensile strength remain after 21 days.
- | Presentation
- | Box with 12 sutures

Cat. No.	Name
153319	Surgicryl® PGA 3/8 koła, trójkątna, dł. 75 cm, nr 0
153320	Surgicryl® PGA 3/8 koła, trójkątna, dł. 75 cm, nr 1
153321	Surgicryl® PGA 3/8 koła, trójkątna, dł. 75 cm, nr 2
153322	Surgicryl® PGA 3/8 koła trójkątna 75 cm nr 1/0
153323	Surgicryl® PGA 3/8 koła, trójkątna, dł. 75 cm, nr 2/0
153324	Surgicryl® PGA 3/8 koła, trójkątna, dł. 75 cm, nr 3/0



Safety Polypropylene

- | Type - Monofilament
- | Composition - Polypropylene, a polymer of propylene
- | Tissue reaction - Minimal
- | Absorption - Non absorbable
- | Presentation - Box with 12 sutures

Cat. No.	Name
153325	Nici niewchłaniające NYLON 2/0 dł. 75 cm, 3/8 koła, trójkątna
153326	Nici niewchłaniające NYLON 1/0 dł. 75 cm, 3/8 koła, trójkątna
153328	Nici niewchłaniające NYLON 0 dł. 75 cm, 3/8 koła, trójkątna
153329	Nici niewchłaniające NYLON 1 dł. 75 cm, 3/8 koła, trójkątna
153330	Nici niewchłaniające NYLON 2 dł. 75 cm, 3/8 koła, trójkątna



Suture needle spring Post-MORTEM

- made of the highest quality stainless steel;
- 1/2 wheel, triangular, with one eyelet.

Cat. No.	Name
147692	Igła sekcyjna 1/2 koła trójkątna. 115 mm 12 szt.
147690	Igła sekcyjna 1/2 koła trójkątna. 71 mm 12 szt.
147691	Igła sekcyjna 1/2 koła trójkątna. 97 mm 12 szt.



Standard suture needles

- made of the highest quality stainless steel;
- extremely sharp and durable;
- a smoothly polished surface minimizes the risk of inflammation.

Cat. No.	Name	Przekrój
157708	Igła chirurgiczna 3/8 koła. 103 mm 12 szt.	Okrągła
157746	Igła chirurgiczna 3/8 koła. 13 mm 12 szt.	Okrągła
157745	Igła chirurgiczna 3/8 koła. 15 mm 12 szt.	Okrągła
157744	Igła chirurgiczna 3/8 koła. 24 mm 12 szt.	Okrągła
157743	Igła chirurgiczna 3/8 koła. 32 mm 12 szt.	Okrągła
157713	Igła chirurgiczna 3/8 koła. 32 mm 12 szt.	Okrągła
157742	Igła chirurgiczna 3/8 koła. 36 mm 12 szt.	Okrągła
157712	Igła chirurgiczna 3/8 koła. 36 mm jedno oczko 12 szt.	Okrągła
157741	Igła chirurgiczna 3/8 koła. 54 mm 12 szt.	Okrągła
157711	Igła chirurgiczna 3/8 koła. 54 mm jedno oczko 12 szt.	Okrągła
157740	Igła chirurgiczna 3/8 koła. 70 mm 12 szt.	Okrągła
157710	Igła chirurgiczna 3/8 koła. 70 mm jedno oczko 12 szt.	Okrągła
157698	Igła chirurgiczna 3/8 koła. 100 mm jedno oczko 12 szt.	Okrągła
157727	Igła chirurgiczna 3/8 koła. 13 mm 12 szt.	Trójkątna
157726	Igła chirurgiczna 3/8 koła. 15 mm 12 szt.	Trójkątna
157725	Igła chirurgiczna 3/8 koła. 24 mm 12 szt.	Trójkątna
157724	Igła chirurgiczna 3/8 koła. 32 mm 12 szt.	Trójkątna
157704	Igła chirurgiczna 3/8 koła. 35 mm jedno oczko 12 szt.	Trójkątna
157723	Igła chirurgiczna 3/8 koła. 36 mm 12 szt.	Trójkątna
157722	Igła chirurgiczna 3/8 koła. 54 mm 12 szt.	Trójkątna
157701	Igła chirurgiczna 3/8 koła. 54 mm jedno oczko 12 szt.	Trójkątna
157728	Igła chirurgiczna 3/8 koła. 63 mm 12 szt.	Trójkątna
157702	Igła chirurgiczna 3/8 koła. 70 mm jedno oczko 12 szt.	Trójkątna
157703	Igła chirurgiczna 3/8 koła. 72 mm jedno oczko 12 szt.	Trójkątna
157721	Igła chirurgiczna 3/8 koła. 73 mm 12 szt.	Trójkątna
157720	Igła chirurgiczna 3/8 koła. 80 mm 12 szt.	Trójkątna
157700	Igła chirurgiczna 3/8 koła. 80 mm jedno oczko 12 szt.	Trójkątna



Bonney needles

- | made of the highest quality stainless steel;
- | round, triangular;
- | with one eye.

Cat. No.	Kształt i rozmiar igły
147670	Igła 33 mm chord 26 mm 12 szt.
147665	Igła 46 mm chord 36 mm 12 szt.
147660	Igła 61 mm chord 45 mm 12 szt.
147655	Igła 80 mm chord 64 mm 12 szt.
147650	Igła 93 mm chord 82 mm 12 szt.



POLSTAP - stapler disposable

- | Simple and easy to operate.
- | High sewing up and stapling speed help shorten the time of sewing and avoid cross infection of contagious diseases.
- | Reduced tissue reaction, thinner scar after operation and faster wound healing. Painless and convenient staples removal after the incision has healed up.

Cat. No. **340755**




Disposable skin staple remover

- | Original forceps for removing staples.
- | Sterile.

Cat. No. **340756**





Surgery

DIATERMO MB 122 electrocauter



MORE INFORMATION ON PAGE 88 [→](#)

Mathieu Olsen Premium needle forceps



MORE INFORMATION ON PAGE 84



SCISSORS

Standard straight scissors

- | made of stainless steel;
- | standard hardness;
- | straight model.

Cat. No.

Type sharp/sharp	Type sharp/blunt	Type blunt/blunt	Name/Size
130445S	130446S	130447S	Standard straight scissors/14 cm
130455S	130456S	130457S	Standard straight scissors/16 cm
130465S	130466S	130467S	Standard straight scissors/18 cm



Premium straight scissors

- | made of hardened steel;
- | cutting parts reinforced with wolfram;
- | precisely made.

Cat. No.

Type sharp/sharp	Type sharp/blunt	Type blunt/blunt	Name/Size
130445P	130446P	130447P	Premium straight scissors/14 cm
130455P	130456P	130457P	Premium straight scissors/16 cm
130465P	130466P	130467P	Premium straight scissors/18 cm




Standard bent scissors

- | made of stainless steel;
- | standard hardness;
- | bent model (Cooper).

Cat. No.

Type sharp/sharp	Type sharp/blunt	Type blunt/blunt	Name/Size
130115S	130116S	130117S	Premium bent scissors/14 cm
130215S	130216S	130217S	Premium bent scissors/16 cm
130315S	130316S	130317S	Premium bent scissors/18 cm



Premium bent scissors

- | made of hardened French steel;
- | cutting parts reinforced with wolfram
- | precisely made:
- | bent model (Cooper).

Cat. No.

Typ ostre/ostre	Typ ostre/tępe	Typ tępe/tępe	Name/rozmiar
130115P	130116P	130117P	Premium bent scissors/14 cm
130215P	130216P	130217P	Premium bent scissors/16 cm
130315P	130316P	130317P	Premium bent scissors/18 cm



Scissors for cutting bandage Lister Premium type

- | made of hardened steel;
- | cutting part reinforced with wolfram;
- | intended for cutting various kinds of dressings, bandages, and bandaids.

Cat. No. Name/rozmiar

130514P	Scissors for cutting bandage Lister Premium type/14 cm
130518P	Scissors for cutting bandage Lister Premium type/16 cm



SCISSORS

Stitch removal scissors

- | 13 cm long;
- | Spencer model.

Cat. No. **26737**



Standard Mayo scissors

- | made of stainless steel;
- | both ends rounded.

Cat. No.		Name/rozmiar
Proste	Zagięte	
26846	26849	Standard Mayo scissors/14,5 cm
26847	26850	Standard Mayo scissors/18 cm
26848	26851	Standard Mayo scissors/20 cm



Mayo Premium scissors

- | made of hardened steel;
- | cutting part reinforced with wolfram;
- | both ends rounded.

Cat. No.		Name/rozmiar
Proste	Zagięte	
26520	26522	Mayo Premium scissors/14,5 cm
26521	26523	Mayo Premium scissors/18 cm



Anatomical tweezers

- | made of stainless steel;
- | ribbed grabbing part.

Cat. No. **140710**

Cat. No.	Name/Size
140710	Anatomical tweezers/13 cm
140711	Anatomical tweezers/15 cm
140712	Anatomical tweezers/18 cm



Surgical tweezers

- | made of stainless steel;
- | grabbing part with a characteristic thickening.

Cat. No.	Name/Size
140713	Surgical tweezers/13 cm
140714	Surgical tweezers/15 cm
140715	Surgical tweezers/18 cm



Rochester pean clamp

- | made of stainless steel;
- | 6 types;
- | used for clamping vessels (haemostatic action).

Cat. No.		Name/Size
Straight	Bent	
140210	140120	Rochester pean clamp/14 cm
140220	140130	Rochester pean clamp/16 cm
140230	140140	Rochester pean clamp/18 cm



NEEDLE FORCEPS

Mathieu Standard needle forceps

- | made of stainless steel;
- | used for holding the needle during surgery.

Cat. No.	Name/Size
151721S	Mathieu Standard needle forceps/14 cm
151724S	Mathieu Standard needle forceps/17 cm



Mathieu Premium needle forceps

- | made of hardened steel;
- | needle-grabbing part reinforced with wolfram.

Cat. No.	Name/Size
151721P	Mathieu Premium needle forceps/14 cm
151724P	Mathieu Premium needle forceps/17 cm



Mathieu Olsen Premium needle forceps

- | made of hardened steel;
- | needle-grabbing part reinforced with wolfram;
- | integrated cutting part.

Cat. No.	Name/Size
151760	Mathieu Olsen Premium needle forceps/14 cm
151780	Mathieu Olsen Premium needle forceps/17 cm



Kocher intestinal clamp

- made of stainless steel;
- clamp with a special thickened tip for easy grabbing.

Cat. No.		Name/Size
Straight	Bent	
26828	26831	Kocher intestinal clamp/14 cm
26711	26832	Kocher intestinal clamp/16 cm
26829	26833	Kocher intestinal clamp/18 cm



Backhaus clamp

- made of stainless steel;
- clamp used for securing surgical drapes/cloths.

Cat. No.	Name/Size
140580	Backhaus clamp/9 cm
140590	Backhaus clamp/13 cm



Kilian/Hartmann nasal clamps

- made of stainless steel;
- 14 cm long;
- used in nasoscopy.


Cat. No.	Name/Length of endoscopic part
26792	Kilian/Hartmann nasal clamps/15 cm
26778	Kilian/Hartmann nasal clamps/22 cm
26772	Kilian/Hartmann nasal clamps/35 cm
26776	Kilian/Hartmann nasal clamps/50 cm
26764	Kilian/Hartmann nasal clamps/75 cm



Mayo-Robson intestinal clamp

| made of stainless steel.

Cat. No.	Name/Type/Size
140591	Mayo-Robson intestinal clamp/Straight/20 cm
140592	Mayo-Robson intestinal clamp/Straight/25 cm
140593	Mayo-Robson intestinal clamp/Bent/21 cm
140594	Mayo-Robson intestinal clamp/Bent/25 cm



Weitlaner 13 cm wound dilator

| made of stainless steel;
 | used for dilating wounds;
 | 3 to 4 teeth on each arm.

Cat. No.	Name/Type
26858	Weitlaner 13 cm wound dilator 13 cm/Sharp teeth
26859	Weitlaner 13 cm wound dilator 13 cm/Blunt teeth



Scalpel handle

- | made of stainless steel;
- | compatible with all standard blades;
- | size 3 suitable for blades up to size 21;
- | size 4 suitable for blades size 22, 23, 24.

Cat. No.	Name/Size
141109	Scalpel handle/3
141110	Scalpel handle/4



Swann Morton scalpel blade

- | super sharp;
- | top workmanship.

Cat. No.	Name/Size
141141	Swann Morton scalpel blade/22
141151	Swann Morton scalpel blade/23
141182	Swann Morton scalpel blade/24



ELECTROCAUTERS / CLOTH SPRAY

DIATERMO MB 122 electrocauter

Cat. No. **30540**

DIATERMO MB 160 electrocauter

Cat. No. **30541**

- | DIATERMO MB 122 and MB 160 units are designed for performing mono- and bipolar surgical procedures.
- | they cut and coagulate:
- | the strong MB 120 is dedicated to gynaecology and orthopaedics;
- | with an OC safety alarm informing about circuit breakage;
- | with OVIT safety system alarming in case of excessive energy supply;
- | standard version with: disposable 2-button handle, a pedal used as an alternative to the handle, a neutral plate with 2 m cable, a set of short autoclavable 2.4 mm electrodes.

Parameter	MB 122	MB 160
Max cutting power (CUT)	120 W	160 W
Max cauterising power (BLEND)	90 W	120 W
Max forced coagulation power (FORCED COAG)	80 W	100 W
Max soft coagulation power (SOFT COAG)	60 W	80 W
Max bipolar operation power (BIPOLAR)	40 W	60 W
Working frequency	600 kHz	600 kHz
Weight	7 kg	7 kg
Dimensions [mm]	260 x 110 x 265	260 x 110 x 265
Voltage	115-230	50-60
230 V fuses	2 x 3.15 A	2 x 3.15 A

Adhesive cloth spray

- | spray used for surgical cloths;
- | ensures complete cloth adhesion.

Cat. No. **141865****30540**

Electrocauter 50 W / 80 W

Cat. No. **30625 / 30626**

- monopolar units for small surgical procedures;
- 50 W apparatus used in small procedures of cutting and coagulation;
- 80 W apparatus used for cutting and cauterisation as well as coagulation and microcoagulation;
- standard equipment of a disposable handle, pedal, plate, and cable, 6 autoclavable electrodes (diameter 2.4 mm, length 5 cm);
- 2 m electrical wire.

Parameter	50	80
Max cutting force (CUT)	50 W	80 W
Max power (CUT/COAG1)	45 W	-
Max power (CUT/COAG2)	40 W	-
Max cauterising power BLEND	-	60 W
Max coagulation power	40 W	50 W
Max microcoagulation power MICRO	-	20 W
Working frequency	600 kHz	700 kHz
Weight	2,5 kg	2,5 kg
Dimensions [mm]	190 x 85 x 239	190 x 85 x 239
Voltage	50-60	115-230
230 V fuses	2 x 3.15 A	2 x 3.15 A

**30625****30626**

Electrocauter replacement parts

Cat. No.	Name
30566	Metal plate without cable
30573	20 x 15 cm plate without cable
30563	5 m plate cable
30559	2.5 m plate cable
30686	Cutting end 13 cm x 10 mm x 8 mm
30687	Cutting end 13 cm x 15 mm x 8 mm
30688	Cutting end 13 cm x 20 mm x 10 mm
30547	ORION monopolar handle
30548	STAR monopolar handle
30667	Straight bipolar clamp 15 cm x 6" x 0,5 mm
30654	Straight bipolar clamp 18 cm x 7" x 1 mm
30652	Bent bipolar clamp 18 cm x 7" x 1 mm
30651	Straight bipolar clamp 20 cm x 7 3/4" x 1 mm
30643	122 clamp cable, 160 MB



SURGICAL DRAPES/FIELDS / LININGS

Surgical drape

- | fabric (SMS);
- | with or without opening;
- | sterile;
- | disposable.

Cat. No.	Name
141720	Surgical drape without opening 30 x 45 cm
141721	Surgical drape without opening 60 x 90 cm
141722	Surgical drape without opening 90 x 120 cm
141730	Surgical drape with opening 30 x 45 cm
141731	Surgical drape with opening 60 x 90 cm
141732	Surgical drape with opening 90 x 120 cm



Operating field

- | green;
- | sterile;
- | disposable;
- | single sheet in sterile packaging;
- | available in 25 pc packages;
- | polyethylene.

Cat. No.	Name
141765	Operating field 35 x 40 cm
141770	Operating field 60 x 90 cm
141780	Operating field 90 x 120 cm



Absorbent lining

- | for clean and comfortable surgery;
- | packed individually;
- | disposable;
- | super-absorbent.

Cat. No.	Name
141871	Absorbent lining 45 x 60 cm
141872	Absorbent lining 60 x 60 cm
141873	Absorbent lining 60 x 90 cm





Care and medical products

Oster GOLDEN A5 45W/220V clipper



MORE INFORMATION ON PAGE 98 [→](#)

Digital weight – large



COLLARS

Standard snap-in collar

- | ribbed edges;
- | increased strength;
- | streamlined shape;
- | 3-5 regulation grades
- | ribbed surface ensures elasticity and resistance against scratches and folding;
- | made of an ecological material.

Cat. No.	Name
273480S	Standard snap-in collar 7,5 cm
273481S	Standard snap-in collar 10,0 cm
273482S	Standard snap-in collar 12,5 cm
273483S	Standard snap-in collar 15,0 cm
273484S	Standard snap-in collar 20,0 cm
273485S	Standard snap-in collar 25,0 cm
273486S	Standard snap-in collar 30,0 cm



Super Premium snap-in collar

Soft and elastic collars with a special rubber edge. Secures the environment against damage, ensures greater comfort to the owners. Transparent, snap-in closing system: 100% polypropylene. Collective box contains 5 pcs.


Cat. No.	Name
273480C	Super Premium snap-in collar 7,5 cm
273481C	Super Premium snap-in collar 10 cm
273482C	Super Premium snap-in collar 12,5 cm
273483C	Super Premium snap-in collar 15 cm
273484C	Super Premium snap-in collar 20 cm
273485C	Super Premium snap-in collar 25 cm
273486C	Super Premium snap-in collar 30 cm



Transparent collar VETplus

- | Wide range of sizes (7 sizes)
- | Transparent, clear so the animal can easily see through
- | Made from soft and flexible polypropylene
- | Completely ecological and recyclable
- | Simple and Quick closing mechanism secured with doubled back tabs
- | Separate fastenings system on the collar that prevents the collar from slipping and moving
- | Rounded, well contoured outer edge


Cat. No.	Name
273480_VET	Transparent collar 7.5 cm VETPLUS
273481_VET	Transparent collar 10.0 cm VETPLUS
273482_VET	Transparent collar 12.5 cm VETPLUS
273483_VET	Transparent collar 15.0 cm VETPLUS
273484_VET	Transparent collar 20.0 cm VETPLUS
273485_VET	Transparent collar 25.0 cm VETPLUS
273486_VET	KTransparent collar 30.0 cm VETPLUS



Claw pincers

- | dog pincers;
- | made of stainless steel.

Cat. No. **131325**



CATHETERS / WEIGHT SCALES

Catheter for dogs

| disposable;

Cat. No.	Name	Size
273400	Catheter for dogs	1,3 x 500 mm
273405	Catheter for dogs	1,8 x 500 mm
273410	Catheter for dogs	2,0 x 500 mm
273420	Catheter for dogs	2,6 x 500 mm
273415	Catheter for dogs	3,3 x 500 mm



Catheter for cats

| disposable;

Cat. No.	Name	Size
273451	Catheter for cats with stylet	1,0 x 130 mm
273453	Catheter for cats with stylet	1,0 x 130 mm
273461	Catheter for cats with stylet	1,3 x 130 mm
273463	Catheter for cats with stylet	1,3 x 130 mm



Electronic weight scale

- | weight range up to 300 kg;
- | dimensions: 95 x 50 x 4,5 cm;
- | measurement with an accuracy of 100 g;
- | professional;
- | metal platform;
- | digital display.

Cat. No. **27257**



Digital weight scale, for small animals

- | weight range up to 20 kg;
- | measurement with an accuracy of 10 g;
- | electronic;
- | LCD display;
- | automatic turn-off switch;
- | lithium battery attached.

Cat. No. **27261**



Digital weight - large

- | weight range up to 100 kg;
- | dimensions: 62 x 83 cm;
- | measurement with an accuracy of 100 g;
- | electronic;
- | LCD display;
- | automatic turn-off switch;
- | lithium battery attached.

Cat. No. **27259**



Digital weight - medium

- | weight range up to 100 kg;
- | dimensions: 35.5 x 63.5 cm;
- | measurement with an accuracy of 100 g;
- | electronic;
- | LCD display;
- | automatic turn-off switch;
- | lithium battery attached.

Cat. No. **27258**



Oster GOLDEN A5 Limited Edition 2

Clipper Cryogen Blade

- | Powerful two-speed motor. Cooler-running motor operates 20 degrees cooler than before.
- | Over 2700 strokes per minute. Gear driven Universal motor has speeds for more efficient clipping.
- | Goes through thick, matted hair easier because it's faster than the single speed clipper. Easy to handle.
- | Normal speed for general grooming and precise clipping and High speed for 1/3 faster - quick body clipping. Virtually unbreakable housing.
- | Detachable blade system for quick, easy blade changes and increased versatility. Smooth, quiet, reliable and cool-running. Powerful gear driven universal motor uses very high rpm & unique gear down assembly to give this all-around clipper great power for its size. Unitary cutting assembly for permanent parts alignment. Perfect for clipping all animals.

Cat. No. **273145**



Oster® Professional blades

- | Oster® Professional blades are produced from the finest high-carbon steel and handcrafted to our rigorous standards, providing unparalleled precision and performance. Available in multiple sizes for various cutting lengths and maximum versatility.

Cat. No. **273150**



Clipper MOSER ARCO

- | Power: 10 Watt
- | Operating time: about 45 minutes
- | Extremely powerful yet silent
- | Cutting system: 0.1-3 mm - cutting comb width: 46 mm
- | Approval: CE. SEV
- | Size : 170 x 50 x 50 mm (LxWxH)
- | Content: 2 interchangeable batteries. battery charging station with whip-tray. cleaning brush

Cat. No. **273146**



Heiniger Saphir Cordless Dog Clipper

- | This is proving to be one of our best selling clippers and is manufactured by Heiniger in Switzerland who are well renowned manufacturers of horse and sheep clippers. The quality is without doubt excellent and the power is truly amazing for a cordless pet clipper. It has a slim grip hand piece and stays cool even when clipping for long periods. Takes all A5 type snap on blades. It will clip for 50-60 minutes on each battery with a recharge time of 45 mins.
- | Comes with 2 batteries and a charger which will allow continuous clipping all day.
- | Weighs only 410 grams and measures 204 x 50 x 41 mm
- | Clipper sold with full 12 months warranty and comes in a very attractive carry case.

Cat. No. **273144**



LASERS

MR4 Acti Vet laser

- | portable;
- | great power (25000 mW);
- | power greater than in most class IV lasers;
- | universal;
- | non-invasive;
- | 6 treatment programs;
- | combines blue and red light;
- | easy operation;
- | up to 8 hours of power supply;
- | perfect for sports events;
- | device properties:
 - 470 nm - blue light;
 - 640 nm red light;
 - 870 nm - infrared;
 - 950 nm - pulsating laser;
- | treating chronic pain;
- | improved elasticity and endurance;
- | accelerated healing;
- | FDA-certified;
- | blue light therapy helps control MRSA (Staphylococcus aureus);
- | treats for example injuries of the talocrural joint, the shin, elbows, contortions, pain of the back and the Achilles tendon;
- | access with acupuncture probe that reaches the target nervous-muscular point and increases laser efficiency.

Cat. No. **273200**

TQ SOLO laser

- | portable and light;
- | easy to use (locate the point of pain, turn on the laser and set the suitable frequency in accordance with the manual, press the 'start' button);
- | 15000 mW;
- | minimises chronic and acute pain;
- | 4 types of radiation (red light, infrared, pulsating laser, static magnetic field);
- | laser: 905 nm;
- | infrared: 875 nm;
- | red light: 660 nm;
- | lithium battery for 18 h;
- | 3 preset frequencies;
- | manual.

Cat. No. **273201**




'The technology of the MR4 laser is a rescue for me and my sportsmen. The knee ligament injury was chronic. After two days the scar was smaller by 50%, and the pain was smaller by 90%'

Tom Barbeau

NHL hockey player, coach of the national representation, headmaster of Waterville Valley skiing academy





Diagnostic imaging

Zoncare V3 vet Veterinary Color Doppler Ultrasound



MORE INFORMATION ON PAGE 108 [➔](#)

DIVARIO T2



MORE INFORMATION ON PAGE 119 [→](#)

Rubber and surgical X-ray gloves

- | made from lead vinyl, seamless;
- | universal size, black;
- | available in equivalent of: 0.25 or 0.5 mm Pb;
- | surgical version in blue colour.

Cat. No. **27100**



Protective X-ray coat

- | one-sided, with two protection levels:
 - light: 0.25 mm Pb on entire area,
 - heavy: 0.5 mm Pb on the front and 0.25 on other parts,
- | all one-sided coats protect the front, sides, and shoulder blades of the user, and come in three types: 110, 120, and 130 cm;
- | colours: blue and 'leopard'.



Cat. No.	Name
283023	110 cm x 0.5 Pb protective X-ray coat
283024	120 cm x 0.5 Pb protective X-ray coat
283025	130 cm x 0.5 Pb protective X-ray coat
283026	110 cm x 0.25 Pb protective X-ray coat
283027	120 cm x 0.25 Pb protective X-ray coat
283028	130 cm x 0.25 Pb protective X-ray coat

Thyroid cover

Cat. No. **283029**



X-Ray Positioning Aid

- | suitable positioning aid for dogs and cats
- | adjustable to all sizes required
- | wood construction

Cat. No. **703510**



Berlin type positioner

- | durable construction;
- | transparent plexiglass;
- | the shape of the letter V;
- | ideal also as a positioner during chest surgery;
- | different sizes: 5 sizes.

Cat. No. **703550**



RTG positioner for birds

- | comfortable for all sizes of birds;
- | they can also be used as a restraint during operation;
- | contains cervical plates (12/21/30/35 mm).


Cat. No. **703506**



X-Ray Positioning Aid – Navicular Stand

- | outstanding elevation of the navicular bone is possible for a 60° oblique view
- | includes a bracket for cassettes
- | plexiglas construction

Cat. No. **703540**



SANDBAG

Sandbag

- | position aid for patients requiring x-rays or surgery
- | red, durable vinyl cover
- | malleable
- | easy to clean and disinfect

* Not safe for washing machines

Cat. No. **704515**



Tubular Sandbag

- | positioning aid for animals during X-Ray or surgical procedures
- | cylinder
- | durable, wipe clean plastic cover

Cat. No. **704550**



Tubular Sandbag

- | for animals during radiographs and surgery
- | durable, easy to clean plastic
- | 1 kg of sand
- | colour: Ruby Red

Cat. No. **704551**



Foam Positioning Aid

| foam positioning aid for X-Ray or surgical procedures.

Cat. No. **605900**



Digital Portable X-ray System EPX-Serie

- | EPX-F2400 (100kV/40mA)2.4KW
- | innovation designed Ultra-Light, High frequency portable x-ray.
- | high Performance EPX-Series Portable X-ray system.
- | most compact size and lightest weight.
- | provide high resolution imaging at lower dosages.
- | durable design with solid body.
- | soft Touch Controls with Digital displays.
- | calibrated cassette size indicator dials
- | available with Inverted control panel for table use.
- | two stage dynamic, Auto line compensation.
- | easy access to DR systems.
- | dual Integrated Laser Pointer.

Cat. No. **283000**



DIVARIO T2

The extremely fast desktop CR system with a maximum throughput of 73 cassettes per hour. Easy to operate, the Divario DR-T2 offers superior image quality with a pixel size of up to 50 μm , a high-speed mode of 5 pixel/mm and includes dicomDX-R PACS® professional image acquisition software with all the necessary image processing tools. With a maximum processing capacity almost 70% faster than previous CR systems, the Divario CR-T2 will reduce patient wait times and increase the efficiency of the examination process. Designed to be unobtrusive and compact, the Divario CR-T2 is the ideal CR system for all standard x-ray examinations.

Includes:

- | 1 x cassette 1417 incl. imaging plate for images up to 14" x 17" (35 x 43 cm)
- | Resolution to 10 pixels / mm, speed up to 73 plates / hour
- | Divario CR-Flash software package:
 - | dicomPACS®DX-R Console Software
 - | dicomPACS®DX-R DICOM Send SCU
 - | dicomPACS®DX-R DICOM Worklist SCU + dicomPACS® Connect
 - | dicomPACS®DX-R DICOM Patient CD
 - | dicomPACS®DX-R Cognition Optimised Processing

Cat. No. **283024**

Cassette sizes for type CC:

- | 35 x 43 cm (14" x 17")
- | 35 x 35 cm (14" x 14")
- | 24 x 30 cm (10" x 12")
- | 18 x 24 cm (8" x 10")
- | 15 x 30 cm (6" x 12")



OPERATION OF THE ACQUISITION SOFTWARE

Job planning




A single click opens the X-ray positioning guide for horses, dogs and cats

Diagram for planning a specific X-ray job

Switch to planning X-ray jobs for cats, horses or small animals/exotic animals

X-ray positioning guide



Provides numerous hints on patient positioning, central ray, tips and tricks, common mistakes etc.

Shows an image of a correct X-ray examination

Generator control



The generator panel displays all values and settings (kVp, mAs, focus etc.) recommended for a specific examination

Preview of the X-ray image and worklist



Preview of the current X-ray image

DIVARIO T2

INTEGRATED PROFESSIONAL VIEWER



Completely integrated dicomPACS® viewer for image diagnosis.



Comprehensive search tools enable the comparison of X-ray examinations of one or more patients.



Useful tools such as the configurable measuring magnifier make diagnosis much easier




An integrated prosthesis documentation module provides preoperative planning (optional).

OBRÓBKA OBRAZU



Ekspozycja ze standardową obróbką obrazu




Ekspozycja z obróbką obrazu dicom PACS@DX-R

SPECIAL FUNCTIONS FOR DIGITAL X-RAY IMAGING




MMP (Modified Maquet Procedure)



HD measuring technique for dogs



TTA measuring tool




Special filter for the optimization of bones and soft parts



TPLO measuring tool




Measuring the distraction index



Buchanan's Vertebral Heart Score



Integrated prosthesis documentation module



DIRECT RADIOGRAPHY SYSTEM

EVS 4343

- | Robust and safety design against shock and drop
- | High definition images by direct deposition Csl or Gadox
- | Fast image acquisition time less than 2 sec.
- | Highly reliable and stable genrad.

Cat. No. **A35000007**

Model	EVS 4343 (Wired)
Detector Type	Direct deposition Csl or Gadox
Weight	4.5 kg
Active Area	430 X 430 mm
Pixel Pitch	140 µm
Resolution	3,072 X 3,072
A/D Conversion	14 bit
Input Voltage	DC 12V, 5A
Communication	Giga Ethernet
X-ray I/F	Lossless AED / Sync Trigger



EVS 2430W

- | High definition imaging with smallest 76µm pixel
 - | Ultimate portability
 - | WPCS Power System (Wireless Charging)
 - | Smart information by OLED display
 - | Light weight 1.9 kg (w. battery) and fancy design
 - | Various applications available
- (Genrad., Mobile, Neonatal/Pediatric, Equine, Vet. Portable, NDT, etc)

Cat. No. **A44000000**

Model	EVS 2430W (Wireless)
Detector Type	Direct deposition Csl or Gadox
Weight	1.9 kg
Active Area	233.47 x 291.84 mm
Pixel Pitch	76 µm
Resolution	3,072 X 3,840
A/D Conversion	16 bit
Input Voltage	DC 12V, 5A
Communication	Giga Ethernet / IEEE 802.11n (5 GHz)
X-ray I/F	Lossless AED



EVS 3643

- | Ultimate portability
- | WPCS support (wireless battery charging)
- | Light weight 2.98 kg and robust design
- | Water proof function for increased reliability [IPX4]

Cat. No. **A26000005**

Model	EVS 3643 (Wireless)
Detector Type	Direct deposition CsI or Gadox
Weight	2.98 kg
Active Area	358 X 430 mm
Pixel Pitch	140 µm
Resolution	2,560 X 3,072
A/D Conversion	14 bit
Input Voltage	DC 12V, 5A
Communication	Giga Ethernet / IEEE 802.11n (5 GHz)
X-ray I/F	Lossless AED / Sync Trigger



EVS 2430

- | High definition imaging with smallest 76µm pixel
- | High definition images by direct deposition CsI
- | Highly reliable and stable genrad.
- | Fast image acquisition
- | Embedded x-ray trigger interface
- | Designed to withstand shock and drop

Cat. No. **A17000000**

Model	EVS 2430 (Wired)
Detector Type	Direct deposition CsI or Gadox
Weight	1.9 kg
Active Area	233.47 x 291.84 mm
Pixel Pitch	76 µm
Resolution	3,072 X 3,840
A/D Conversion	16 bit
Input Voltage	DC 12V, 5A
Communication	Giga Ethernet
X-ray I/F	Lossless AED/ Sync Trigger



INNOVATIVE TECHNOLOGIES FOR LIMITLESS PORTABILITY**EVS 3643 with Water Proof [IPX4]**

EVS 3643 has the water resistance [IPX4] feature which provides protection against blood, sudden rain or other contaminants which can affect the detector performance in mobile applications.

EVS 3643 delivers reliable performance in any environments and unexpected situations providing perfect portable solution for x-ray diagnostic imaging.

**Slim Dual Battery Charger**

Simultaneous charging to two batteries is possible with the dual battery charger. With its horizontal and vertical insertion design, this charger supports both EVS 3643 and EVS 2430W batteries.

Supported with 12V, charging on-the-go is possible as it connects with the cigar outlet of any car. The charger comes standards with EVS 3643 and EVS 2430W detectors.



Protection Suits

Available in three different designs to match varying user requirements and to protect your Exprimer detector in style from various environmental hazards. With an ergonomic design, you can achieve optimum usability in any x-ray environments. Combined with a tablet mounter, you can heighten your productivity with one compact package in any portable situations.



PCP (Portable Console PC)

Instant digital upgrade is possible when PCP is combined with EVS 3643 or EVS 2430W. Eliminate the need for additional control box between the detector and the PC, and acquire digital images instantly with DRTECH's PCP. Inside AP maximizes the portability of Exprimer's portable detectors by allowing direct communication with tablet PCs and smart phones for image viewing on mobile devices. With a PCP and wireless communications, high definition images can be acquired anywhere and anytime allowing for unlimited outdoor and mobile imaging.



BENEFIT FROM EXCELLENT QUALITY X-RAY IMAGING WITH EXPRIMER

Exprimer, the innovative digital x-ray solutions suit multiple diagnostic environments with different needs.

- | Excellent image quality using direct deposited CsI
- | Ultimate sharpness image by TRUVIEW® ART
- | Instant upgrade to digital mobile X-ray system
- | Patient dose reduction with reliable Lossless AED
- | High resistance to impact and vibration
- | Low price fixed grid (120 lines / inch)
- | Light weight and durable design for portable applications




'Lossless AED' promising 'Dose Reduction' & 'TRUVIEW® ART' promising sharper and more accurate images with '30% higher MTF'




Intensified image sharpness with directly deposited CsI

Directly deposited CsI can provide clearer images at lowest dispersion compared to conventional CsI and GOS scintillator. High quality images are not a result of any one feature such as smallest pixel size or low electronic noise, but achieved when all components of the detector are optimized to operate in harmony with each corresponding specification



Better DQE performance in higher spatial frequencies


Exprimer with its well oriented direct deposition columnar structure CsI + TFT has high DQE performance providing outstanding high quality images. It also demonstrates comparably excellent DQE* performance in high spatial frequency range.



*DQE measurement condition: RQA-5 (Typical 2.6 μGy)

Faster image display with high speed operating scheme

Fast image preview and display time of Exprimer products allow for more effective and efficient operation leading to increased productivity. Image preview in both wired and wireless modes are achieved less than 2 seconds and a full image is acquired in 4.5 and 6 seconds respectively.



Best image processing solution for fine tuned quality images ECONSOLE1 & TRUIVIEW® ART


ECONSOLE1 (UI Software) and TRUIVIEW® ART (image sharpening algorithm) provides a perfect solution to increase diagnostic productivity and accuracy. With easy to use convenient user interface design and powerful image processing engine, ECONSOLE1 & TRUIVIEW® ART enables more accurate diagnosis with high quality and highly defined images.



CR7 Vet. The benchmark in digital X-Ray imaging for veterinary dentistry

- | excellent quality, superior, high resolution images via Vet-Exam software
- | can be networked across 10 PCs in the practice
- | full DICOM compliance ensures easy export of data
- | incredibly compact at 23cm x 24cm x 24cm. Only 6kg.
- | unique design protects unit and radiographs from dust, hair and particles that can reduce image quality
- | easily removed plate feeder for cleaning
- | plate feeder accepts all image plate sizes without the need to change loading cradles – unlike other systems
- | largest range of plate sizes
- | precision German manufacture with full 2 year warranty
- | iM3 technical support

Cat. No. **X7001**



The Revolution 4DC Dental X-ray generator

- | features the latest technology. Specifically conceived for digital X-Ray imaging, the constant potential tube head combined with the smallest focal spot available for intraoral imaging (0.4mm) guarantees consistently sharp images. The Revolution 4DC allows uninterrupted use during multiple exposures, such as full mouth acquisition, thanks to the Dynamic Duty-Cycle, based on real time control over the bulb temperature, visible on the handheld display.
- | The full-swivel ball-joint is revolutionary in every sense. The tube head revolves freely around the sphere, so that practically any position can be achieved, including vertical. An automatic touch-sensitive lock-on/lock-off device enables effortless repositioning of the tube head between exposures. The wireless handheld remote allows you to program / operate the unit from wherever you are in the surgery. There are no other wall-mounted or wired control panels to worry about. Easy-to-use and easy-to-handle, the remote offers a full range of intuitive exposure scenarios designed to make correct X-ray acquisition a straightforward process. No more complex programming or button-crowded panels.

Cat. No. **X1100**



Ultrasound Q3Vet

ADVANCED DOPPLER MODEL

Applied technologies:

DSC (Digital Scan Converter), DBF (Digital Beam Forming), RDA (Real-time Dynamic Aperture), DRA (Dynamic Receiving Apodization), DRF (Dynamic Receiving Focusing), DFS (Dynamic Frequency Scan) 32Ch, THI (Tissue Harmonic Imaging), SNR (Speckle Noise Reduction), 3D/4D Imaging Module, Pure digital time-delay ASICs, Auto Flow Angle calibration, Extreme Resolution adaptive imaging, Transducer Signal Processing

Functions:

- | one touch Optimization;
- | 15" ekran wysokiej rozdzielczości + 8.4" ekran dotykowy;
- | podgrzewacz do żelu;
- | auto pomiary IMT;
- | B, Dual B, Quad B, M, B/M;
- | CFM, PDI, PWR D, THI;
- | Duplex/Triple synchronous;
- | dwa lata gwarancji;
- | dostępne sondy: Convex, Microconvex, Liniowa, Rektalna, 4D volume.

Cat. No. **ZON_300**



V3Vet Veterinary Color Doppler Ultrasound

- | 12.1 inch LED monitor with 90 degree tilting;
- | 3 activated transducer connectors, transducer auto-freeze protection;
- | build-in Lithium-in battery supports more than 1.5 hours continues work;
- | outstanding portable model, compact and streamlined design weighing 7.5 kg;
- | 320G hard disk for large capacity storage;
- | professional measurement software package applicable for general and OB diagnosis of ve such as dog, cat, bovine, horse, shepp etc.;
- | data port: USB 2.0, Video, S-Video, RS-232, VGA.

Cat. No. **ZON_200**



Ultrasound i50V

Function and configuration:

- | 12.1 inch High resolution medical monitor with 90 degrees angle rotation;
- | double beamform imaging technology;
- | outstanding portable model, compact and streamlined design;
- | all-round adjusting knob, efficient and fast operation;
- | one key full screen design (FSI) for better visual field
- | support multiple measurement software packages;
- | optional Trolley, Built-in lithium battery and suitcase, convenient for outdoor diagnosis;
- | support multiple data transmission interface;
- | auto generated BMP format report, support USB import and export;
- | support laser printer module, directly connect the laser printer to output report;
- | supported Transducers: Convex, Linear, Transvaginal, and Micro-convex.

Cat. No. **ZON_100**



Setting A New Standard For HD+ Video Processors

- | equipped with a sophisticated built-in workstation and advanced image processing technology, the new HD-500 image processor provides high definition images for endoscopic examinations. The HD-500 is ideal for practitioners who require extraordinary performance during their daily endoscopic examinations and challenging research.

Easy operation

Smart workflow makes the endoscopic examination simpler.

HD+ Image Processing

Processing over one megapixel image with advanced technology

Intelligent built-in workstation

HD+ image and patient information management makes for a more efficient examination.

Cat. No. **SONO_HD500**



ENDOMED Arthroscopy

FULL STATION WITH TOOLS

Included:

- | ENDOcam 100, Digital Video single CCD, without TV-Adapter
- | ENDOLite 200, Wysokowydajne źródło światła LED
- | ENM 20-191, Monitor 19" LED, Roz. 1280x1024 HD
- | ENDOshaver 6000, Shaver System with 8000 rpm
- | ENDOpump 100, Pompa do artroskopii, 10-150mmHg, 0.1-2.0
- | Endomed Wózek model S-move

Tools:

- | Full radius resector, aggressive, \varnothing 3,5mm
- | Meniscus cutter, \varnothing 3,5mm
- | Full radius resector, \varnothing 4,2mm
- | Full radius resector, aggressive, \varnothing 4,2mm
- | Meniscus Cutter, \varnothing 4,2mm
- | Round Burr, \varnothing 5,5mm

- | Arthroscope \varnothing 4mm, View 0°, angle 95°, długość 175mm
- | Arthroscope \varnothing 4mm, View 30°, angle 95°, długość 175mm
- | Sheath arthroscopy, two stopcocks, \varnothing 4mm, 30°, length 175mm
- | Obturator arthroscopy, pyramidal, \varnothing 4mm, długość 175mm
- | Obturator arthroscopy, blunt, \varnothing 4mm, długość 175mm
- | Hook probe 3mm, graduated
- | Scalpel knife
- | Sickle knife
- | Grasping forceps, \varnothing 3,5mm, długość 130 mm
- | Hook punch with scoop, 30° right, \varnothing 3,5mm
- | Hook punch with scoop, 30° left, \varnothing 3,5mm
- | Wide jaw punch medium, \varnothing 3,5mm, straight
- | Wide jaw punch, medium, \varnothing 3,5mm, 90°, left angled
- | Wide jaw punch, medium, \varnothing 3,5mm, 90°, right angled
- | Hook Scissors Straight, \varnothing 3,5mm, length 130 mm

Cat. No. **ENDO_ART**



ENDOMED Combo-3

FULL ENDOSCOPIC STATION

Included:

- | truck;
- | light source / processor C3P13, ENDOMED COMBO-3, DVI;
- | 1 × LED;
- | 1 x C3G13, ENDOMED COMBO-3, 1050 mm Gastroscope,
- | Ø 9.6mm, working channel - Ø 2.8 mm;
- | 1 x C3C16, ENDOMED COMBO-3, Colonoscope 1650 mm,
- | Ø 11.8mm, working channel - Ø 3.2 mm;
- | medical monitor Monitor 19 "LED, Res 1280x1024 HD, DVI-I,
- medical;
- | Vaco SPI20, ENDOMED Suction pump - 2 liters.

Cat. No. **ENDO_COM**



D-330 Image Processor

- | Creates clear images through the use of edge enhancements and reducing image noise reduction.
- Along with the HD-330 light source and image processor, it provides users with an excellent diagnostic experience.

Intelligent adjustment

Automatic white balance and brightness controls to achieve the ideal image quality for the user's observation with each scope.

User-friendly operation:

Users can define specific short-cut buttons on the endoscope, making the examination more comfortable and convenient.

Efficient workflow and management

The HD-330 image processor provides a powerful built-in workstation that allows the doctor to manage patient information such as: edit, save, printing reports and even uploading the data to other hospital workstations or to a USB disk.

Cat. No. **SONO_HD330**





Anaesthetics

Matrx[®] VME2



MORE INFORMATION ON PAGE 134 [➔](#)

Mindray 8VET Monitor



ANESTHETIC APPARATUS

Matrx® VME2

| Sleek, stylish and featuring a chrome design, the Midmark Matrx® VME2 incorporates all veterinary anaesthesia equipment onto one post. A portable stand and 5-leg spider base makes for convenient transportation and easy mobility. Optional add-on components include shelving, a second flowmeter, a second vaporizer, an occlusion valve with safety relief and/or an emergency air intake valve.

Cat. No. **271516**



Anesthesia device with DM-6B ventilator

| easy to use and move - construction on 4 wheels;
 | fan operating in 3 modes: IPPV; A / C; SIMV.7 "TFT LCD;
 | the screen displays breathing parameters and alarms;
 | supports animals up to 200 kg;
 | oxygen flow: from 0 to 5l / minute;
 | tidal volume (Vt) - 0.20 ml - 1500 ml;
 | frequency 1bpm ~ 100 bpm.

Cat. No. **271599**



Manual resuscitator

- | disposable self-inflating bag;
- | complete with a transparent disposable mask;
- | superb fitting to patient's airways;
- | latex-free;
- | capacity: 1600 cc.

Cat. No. **34277**



Manual resuscitator

- | silicone;
- | transparent;
- | delivered with a silicone mask;
- | latex-free;
- | capacity: 1600 cc.

Cat. No. **34245**



Double-chamber manual resuscitator

- | professional case;
- | self expanding internal chamber;
- | capacity: 1900 cc;
- | fully compatible;
- | reusable.

Cat. No. **34240**



Respiration bag

- | made of black antistatic rubber;
- | various sizes.

Cat. No.	Name
271600	Respiration bag 0,5 l
271610	Respiration bag 1 l
271620	Respiration bag 1,5 l
271630	Respiration bag 2 l
271640	Respiration bag 3 l
271645	Respiration bag 4 l
271646	Respiration bag 5 l



Maska anestetyczna

- | made of plastic;
- | with a rubber diaphragm;
- | for use with manual resuscitators;
- | for dogs and cats..


Cat. No. **271672**, **271673**



Rubber endotracheal tube

- | made of a high quality material;
- | with balloon and connector;
- | solid and flexible;
- | autoclavable at 134°C.

Cat. No.	Name
272020	3,0 mm rubber endotracheal tube
272021	3,5 mm rubber endotracheal tube
272022	4,0 mm rubber endotracheal tube
272023	4,5 mm rubber endotracheal tube
272024	5,0 mm rubber endotracheal tube
272025	5,5 mm rubber endotracheal tube
272026	6,0 mm rubber endotracheal tube
272027	6,5 mm rubber endotracheal tube
272028	7,0 mm rubber endotracheal tube
272029	7,5 mm rubber endotracheal tube
272030	8,0 mm rubber endotracheal tube
272031	8,5 mm rubber endotracheal tube
272032	9,0 mm rubber endotracheal tube
272033	9,5 mm rubber endotracheal tube
272034	10,0 mm rubber endotracheal tube
272035	11,0 mm rubber endotracheal tube



Silicone endotracheal tube

- | with balloon and connector;
- | solid and flexible;
- | autoclavable at 120°C.

Cat. No.	Name
271580	3,0 mm silicone endotracheal tube
271581	5,0 mm silicone endotracheal tube
271582	6,0 mm silicone endotracheal tube
271583	7,0 mm silicone endotracheal tube
271584	8,0 mm silicone endotracheal tube
271585	10,0 mm silicone endotracheal tube
271586	11,0 mm silicone endotracheal tube
271587	12,0 mm silicone endotracheal tube
271588	14,0 mm silicone endotracheal tube



Rurka dotchawicza PVC

- | with balloon and connector.

Cat. No.	Name
272083	3,5 mm PVC endotracheal tube
272084	4,0 mm PVC endotracheal tube
272085	4,5 mm PVC endotracheal tube
272086	5,0 mm PVC endotracheal tube
272087	5,5 mm PVC endotracheal tube
272088	6,0 mm PVC endotracheal tube
272089	6,5 mm PVC endotracheal tube
272090	7,0 mm PVC endotracheal tube
272091	8,0 mm PVC endotracheal tube
272092	8,5 mm PVC endotracheal tube
272093	9,0 mm PVC endotracheal tube
272094	9,5 mm PVC endotracheal tube
272095	10,0 mm PVC endotracheal tube
272096	10,5 mm PVC endotracheal tube
272097	11,0 mm PVC endotracheal tube



Mindray 8VET 8.4" Monitor

- 8.4" High-resolution LED display with 8 waveforms. Portable, less than 3.2 kg. No-fan design for a quiet care environment. Easy to use for intuitive operation. Up to 4 hours continuous monitoring with large capacity Li-ion battery. Trust for veterinary use, parameters including ECG, RESP, SpO2, NIBP, PR, TEMP, IBP, CO2. 360-degree visible alarm indicator. 120 hours trend and 48 hours waveforms reviewing

Standard Configuration

- ECG, RESP, NIBP, Mindray SpO2, TEMP, Li-ion battery

Optional

- Nellcor SpO2, 2-ch IBP, CO2 (Sidestream, Microstream or Mainstream), Thermal recorder

Cat. No. **240120**



Zoncare PM-7000 VET

- 12.1 inch LED screen, high brightness, Low power consumption and long lifetime
- Standard 6 parameters configurations: ECG, RESP, NIBP, SPO2, PR, TEMP
- Large font display offers a clear view of all vital signs
- Support AC and DC, build-in Lithium-ion battery, can provide the power to the monitor a long time after the power off
- Precise measurement technology, professional veterinary measurement software, and suitable for the long time monitoring on dog, cat and other animals
- Large-capacity storage and playback function

Cat. No. **Pm7000 - 240120**



Mindray PM 60Vet pulse oximeter

- Suitable for adult, pediatric and neonatal patients
- High resolution 2.4" color LCD display
- Two selectable working modes: spot check and continuous monitoring
- Adjustable audible and visual alarms
- Real time data transfer by infrared technology
- Batteries to support up to 36 hour continuous working
- Protective cover and carrying case perfect for portable monitoring needs

Cat. No. **Mindray23**





Dentistry

The iM3 elite comes with



MORE INFORMATION ON PAGE 134 [➔](#)

iM3 P6 Piezo Ultrasonic Scaler



MORE INFORMATION ON PAGE 134



The iM3 elite comes with

| Autoclavable / sterile suction with smooth bore tubing for easy cleaning 3 way syringe (air, water, and mist) low speed handpiece for polishing High speed LED handpiece with swivel – providing excellent ergonomics and light The elite dental system features advanced LED light in the high speed handpiece, automatic handpiece activators, and the only fully autoclavable and sterile air driven dental suction in the industry. LED Advantage high speed 360 degree swivel handpiece allows greater control of the handpiece and reduces hand fatigue. The built in magnetic bur holder prevents burs from falling on the ground. The burs are held in place right where you need them! The two bottle water system with auto pressure release allows the user to choose between CLS (iM3's Chlorhexidine based solution) and water, depending on the procedure and the handpiece being used. All iM3 machines are fitted with a low speed motor and swivel 4:1 straight nose cone (SNC) for polishing. An array of low speed attachments for rabbit dentistry, orthopaedics, and restorative dentistry are also available. The elite, with its built in IEC powerboard and coolant outlet, allows for the easy integration of an ultrasonic scaler. The iM3 42-12 ultrasonic scaler, or any brand of scaler, can be connected to the water and power supply of an iM3 dental machine. The dental machine is self-contained and only one power cord is required to power the machine and ultrasonic scaler.


Cat. No. **U3500**



iM3 P6 Piezo Ultrasonic Scaler

| iM3 P6 Piezo Ultrasonic Scaler is compact in size and high in quality with a working Freq.: 30,000 Hz. The tip action is linear and the movement of the tip is used to remove plaque and calculus by physically scraping the tooth's surface and can be used for subgingival scaling 1-2mm. The P6 is foot pedal operated and comes with a built in power setting dial (1-20) that allows the power output to be set at their desired level. Both the handpiece and tips are autoclavable and Satelec® compatible. System includes 4 tips (BS and 1 tip wrench) and connects directly to the water system of any iM3 dental machine. Pump up water tank with fittings (U2010) sold separately for standalone use.

Cat. No. **U2100**



Rabbit and Rodent 8 piece set

| Rabbit and Rodent 8 piece set in zipper case. Ideal for Vets who want to preform rabbit & rodent dentistry.

Set Includes:

- | Incisor luxator
- | Molar luxator
- | Spatula
- | Cheek teeth extraction forceps
- | Cheek dilator (small)
- | Cheek dilator (large)
- | Rodent wire mouth gag
- | Mouth gag

Cat. No. **D1034**



Rabbit soft tissue Protector & Diamond Bur kit

| The soft tissue kit is an ideal set of instruments for reducing and levelling molar and incisor teeth. The soft tissue and diamond disc protectors shield the tongue and cheek.

Cat. No. **D2245**



PL3 micromotor & 1:1 straight nose cone

The iM3 PL3 micromotor is a user-friendly and compact system designed for polishing. The PL3 features a built-in digital display for viewing motor rotation speed and offers speed control of 0 - 30,000 RPM. The PL3 comes equipped with Automatic Feedback Control and powerful torque. The PL3 Includes; Micro-motor, iM3 1:1 straight nose cone (L6860), foot pedal and 10 x oscillating disposable prophylaxis angles and paste. iM3 HP Burs and contra attachments are available.

Cat. No. **L4200**



Scaler tips


Cat. No.	Name
271015	Swift PCS G1
271015	Swift PCS G2
271015	Swift PCS G3
271015	Swift PCS G4
271015	Swift PCS P1
271015	Swift PCS P3
271015	Swift PCS E1
271016	SP 200 D1
271016	SP 200 D2
271016	SP 200 D3



5 mm Winged elevator – stubby handle

iM3 winged elevators combine the winged shape and thin sharp cutting edge to aid in extractions. The stubby handle sits comfortably in the users palm while the fore finger sits on the shaft of the instrument. Available in 6 sizes and used to elevate and extract the tooth. The winged shape of the elevator tip matches the curve of the tooth and the extra leverage aids in extraction.

Cat. No. **D1005S**



1 mm Luxator with stubby handle

iM3 luxators are very fine and sharp. The 5 sizes make them ideal for both canine and feline teeth. They are used and recommended by dental specialist's for cutting the periodontal ligament and expanding the alveolus (tooth socket).

Cat. No. **D4501S**



2 mm Luxator with stubby handle

iM3 luxators are very fine and sharp. The 5 sizes make them ideal for both canine and feline teeth. They are used and recommended by dental specialist's for cutting the periodontal ligament and expanding the alveolus (tooth socket).

Cat. No. **D4502S**




14 Piece Instrument Set – Stubby Handles

iM3 14 Piece Dental Instrument Set with stubby handle winged elevators was designed to take the guess work out of choosing the correct dental instrument. The complete set includes the instruments to examine, clean and extract teeth in both dogs and cats. Made from high quality French and Japanese S/S the set is supplied in a zipper case.

Set Includes:

- | 1-6mm Stubby handle winged elevators
- | Straight root tip pick
- | Tartar removing forceps
- | Extraction forceps
- | Minnesota retractor
- | Subgingival curette
- | Jaquette scaler
- | Sickle scaler
- | Explorer probe
- | Double ended periosteal elevator 2/4

Cat. No. **D1100**



6 Piece Winged Elevator Set – Stubby Handle

iM3 winged elevators are light-weight yet extremely durable. The sharp tapered winged tip allows easy insertion into the PDL. The width of the winged tips (1-6mm) have been shaped to match the size and shape of the tooth's root. The stubby handle fits comfortably in the user's hand (ideal for large or small hands) and allow the fore finger to be placed at the end of the instrument tip making extractions safer. Supplied in a black zipper pouch.

Set Includes:

- | 1mm winged elevator (stubby handle)
- | 2mm winged elevator (stubby handle)
- | 3mm winged elevator (stubby handle)
- | 4mm winged elevator (stubby handle)
- | 5mm winged elevator (stubby handle)
- | 6mm winged elevator (stubby handle)

Cat. No. **D1049**



5pc Luxator set 1-5mm in Black pouch – Stubby handle

| iM3 5pc luxators set includes sizes 1 - 5mm and feature a stubby handle for ease of use, the luxators are very fine and very sharp. The 5 sizes make them ideal for both canine and feline teeth. They are used and recommended by dental specialist's for cutting the periodontal ligament and expanding the alveolus (tooth socket) before elevators are used.

| Each luxator available individually.

Set Includes:

- | 1mm luxator (stubby handle)
- | 2mm luxator (stubby handle)
- | 3mm luxator (stubby handle)
- | 4mm luxator (stubby handle)
- | 5mm luxator (stubby handle)

Cat. No. **D4500**



5 Piece deciduous teeth Set

| The set is intended as a supplement to ordinary tooth extraction sets. The curved deciduous elevators are ideal for the removal of retained canines (milk teeth). The set is supplied in a black zipper case. Each instrument is available individually.

Set Includes:

- | right angle extraction forceps
- | Curved deciduous elevators - small
- | Curved deciduous elevators - medium
- | Curved deciduous elevators - large
- | Molt No. 9 periosteal elevator


Cat. No. **D1021**



Wedge Dental Sharpening Stone

The wedge sharpening stone has a flat surface with a radius on either side. Dental hand instruments should be kept sharp and true to their original design. For best results, instruments should be sharpened after use. This Arkansas stone should be used with water or oil. Sharpening instructions included. 100mm (4") x 35mm (1 1/4")

Cat. No. **A3110**



CLS Solution 6 x 250ml

CLS is a uniquely formulated dental solution (concentrate) designed to reduce bur cutting time and mask mouth odours (spearmint). CLS contains chlorhexidine and can be used in the water supply of any dental machine or ultrasonic scaler. CLS is guaranteed when used at the correct dilution with distilled water not to block the water lines or coolant system of the dental machine. Easy to mix - just add distilled water to 1 bottle of CLS (250ml) to make 1L of working solution. Used and recommended in iM3 dental machines.

This product is sold in a 6-pack.

Cat. No. **C3150**



iC Plaque - plaque disclosing solution - 72 swabs

iC Plaque Disclosing Swabs (72 swabs) show when plaque is present on the teeth. The applicators are quick and easy to use. By simply rolling the swab gently across the teeth at the gum edge the plaque stains pink to indicate germ-filled layers on the teeth. This is a visible sign of periodontal disease and it's simple and easy to show your clients. The disclosing swab is also useful during a prophylaxis to ensure all the plaque has been removed during the procedure.

Cat. No. **H1001**



Rabbit & Rodent Molar Cutters

- Ideal for trimming excessively long cheek teeth which should then be smoothed off using the extra-long diamond bur (Code D2235). Care should be taken to avoid tooth fractures and soft tissue damage.

Cat. No. **D1045**



Cheek Teeth Extraction Forceps

- Specifically designed for the removal of premolar and molar teeth in rabbits. The forceps jaws are narrow and angled at 100 degrees to improve access to the teeth.

Cat. No. **D1029**



Rodent Mouth Gag

- The Jaws of the new Rodent mouth gag are covered in soft plastic reducing trauma. This gag is lighter than comparable gags to reduce the weight on the animals jaws. Autoclavable.

Cat. No. **D1033**



Tartar Removing Forceps

- The curved beak of the forceps allow for easy removal of heavy calculus from the tooth surface, decreasing the chance of fracturing the too

Cat. No. **D1013**



Extraction Forceps

- Extraction forceps are used to grasp the tooth and remove from the socket after
- it is loosened. The small size and spring in the handle helps prevent excessive force and the risk of breaking the tooth.
- Overall length 125mm (5").

Cat. No. **D1012**



Root Tip Extraction Forceps

- Root tip extractions forceps have grooved tips with fine curved ends that meet when closed. They are ideal for root extraction or as an alternative to regular extraction forceps (D1012). 6" / 150mm

Cat. No. **D1019**



Small Dog or Cat Right Angle Extraction Forceps

- Designed by iM3 for easier extraction of cat, small dog and deciduous teeth.
- Parallel right angle jaws reduce the risk of tooth fracture during extraction.
- By not meeting at the end, they reduce the risk of breaking off cats teeth.
- Small handles provide a more tactile feel

Cat. No. **D1019**



Sickle Scaler

- | This double ended hand instrument is used for the removal of supragingival (above the gum) plaque/calculus and stains

Cat. No. **D2007**



Instrument Tray

- | 340 mm x 245 mm.
- | Has 10 drilled bur holes (2)

Cat. No. **D1036**



TTMG - Table Top Mouth Gag (Rabbit/Rodent)

- | The TTMG was designed by iM3 with the help of specialists to hold the anaesthetised rabbit or rodent in the best possible position for examination and treatment of the oral cavity without assistance.
- | Adjustable height stainless steel gags to suit any size rabbit or rodent
- | Adjustable table height ensures the best viewing angle of the oral cavity
- | Washable silicon pad under the patient reduces heat loss and is easy to clean
- | The complete TTMG is easy to clean and autoclavable
- | Quality components and innovative design for ease of use. Optional Heater Pad

Cat. No. **T2000**



Double Ended Periosteal Elevator

The periosteal elevator is used to lift a muco-periosteal flap off the bone when performing surgical extractions. The fine double-ended 2/4 periosteal elevator is great for cats and small to medium do.

Cat. No. **D1011**



Very Fine Periosteal Elevator

Double ended elevator. The small delicate flat ends of this instrument make it ideal for raising gingival flaps in cats. The rounded tip helps prevent accidental slippage and tearing of the gingival fla

Cat. No. **D2005**



Explorer/Measuring Probe

The probe end has periodontal markings etched in black.
The fine but robust tip is ideal for periodontal probing in cats or dogs. The markings will not fade even after many autoclave cycles. The other end of the probe has a shepherd hook explorer to detect tooth defects both supra and subgingiv

Cat. No. **D1010**



Curette

This slimline curette is ideal for calculus and plaque removal both supra and subgingivally (above and below the gum).
The fineness of the instrument is well suited for use in cats and small dogs


Cat. No. **D2008**



Mouth gag f/dog Smith-Baxter

- Great aid for keeping the animals mouth open during procedures.

Cat. No. **270975**



iM3 Stainless Steel Mouth Gags

- Unlike other (heavy duty spring-loaded) mouth guards that tend to overextend the temporomandibular joint, the iM3 designed mouth guard has a unique locking system that requires little force to hold the gag at the desired open position inside the animal's mouth. The lightweight gag and spring coupled with the unique locking system reduces the risk of myalgia, neuralgia, and/or trauma to the temporomandibular joint. iM3 Mouth Gag 3 piece set.

Cat. No. **D1040**



iM3 Small Animal Dental Equipment

- Cheek Dilator Long Reach Curved – Large 60mm
- The long reach 40mm cheek dilator is ideal when using long diamond burs to reduce molar teeth. The radius of the paddle provides better access and viewing as it pushes the cheeks away from the molar teeth. iM3's unique design was developed with the help of Peter Haseler B.Vet.Med. MRCVS. Past president of the British Veterinary Dental Association (BVDA) Member of BVDA and EVDS. (not included in D1034 8pc kit)

Cat. No. **D1047**



Cheek Dilator – X-Small

- Suitable for very small mammals where the small cheek dilator is found to be too big

Cat. No. **D1035**



iM3 Oscillating Disposable Propphy Angle

- | 100/pk
- | Rock and Roll prophy angles are complete, ready to use with a soft rubber prophy cups. The R&R's are pre-lubricated and iM3's unique blue colour is your guarantee of the prophy angle lasting a complete procedure. The 90° reciprocating 'back and forth' action of the prophy cup prevents the animals muzzle hair from being tangled and allows the cup to have continuous contact and pressure on the tooth surface. The reciprocating action also reduces heat and friction on the tooth. Traditional prophy angles spin 360 deg, wind muzzle hair and generate excessive heat

Cat. No. **L7465**



iM3 iClean Propphy Paste

- | iClean R&R polishing paste has been specially formulated for use with iM3 R&R oscillating disposable prophy angles. The oscillating action requires a slightly coarser paste than conventional polishing heads. Convenient to use, individual cups help reduce cross contamination and minimise the transfer of viruses between animals. Won't splatter and does not contain flavour oils or fluoride. Packaged in a convenient bag of 100 individual units with finger holder supplied. iClean R&R Propphy Paste, Med Grit, no Fluoride – Bag of 100 x 2g individual units complete with finger holder

Cat. No. **L7510**



iM3 iClean Propphy Paste

- | 255 g Tub
- | A fine grit prophy paste with Fluoride and fruit flavour (smells like bubblegum) iClean R&R polishing paste has been specially formulated for use in animals.
- | The fine grit paste is suitable for all polishing cups.
- | Adequate dental polishing is a must!
- | iClean Propphy Paste with Fluoride, Fine Grit,
- | Fruit Flavour (smells like bubblegum) – 255g 9oz Tub

Cat. No. **L7500**



Spatula

- | Enhances examination of the teeth by repositioning the tongue and cheeks.
- | Features a light weight handle

Cat. No. **D1028**



Dental Examination Mirror

- | Unique teardrop design to better fit in the oral cavity and allow for more teeth to be viewed.

Cat. No. **D1080**



DoxiProbe

- | The new DoxiProbe was designed (by Drs. Paul Mitchell and Randi Brannan, both AVDC diplomates) to aid in detecting and treating periodontal pockets. The probe measures pocket depth and the flattened, paddle-like end helps place Doxirobe in the prepared pocket.

Cat. No. **D1095**



JAW MODEL

Canine Clear Jaw Model

- | Model size 12 cm x 7 cm x 5 cm (4 3/4" x 2 3/4" x 2")
- | Card size 16.5 cm x 13 cm (6 1/2" x 5 1/4")
- | Included with the model is a plastic educational card showing the tooth and root location as well as the triadan numbering system for easy identification

Cat. No. **D1055**



Feline Clear Jaw Model

- | Model size 7 cm x 5 cm x 3 cm (2 3/4" x 2" x 1 1/8")
- | Card Size 16.5 cm x 13 cm (6 1/2" x 5 1/4")
- | Included with the model is a plastic educational card showing the tooth and root location as well as the triadan numbering system for easy identification

Cat. No. **D1050**



Leporidae Skull Model

- | iM3's new Leporidae skull model allows you to observe the tooth and root pattern of a typical rabbit and demonstrate to your clients why a procedure is necessary and what will be involved. Also included with the model is an education card. The card is double sided and shows the location of the nasolacrimal duct. The other side shows teeth location, name and numbering for easy identification

Cat. No. **D1070**



A white line-art illustration of a dental X-ray machine, also known as a panoramic radiograph unit. The machine features a long, angled arm extending from a central column to a detector head. The base is a wide, flat, rectangular platform. The entire illustration is rendered in white lines against a dark grey background.

Clinic equipment

Stainless steel cage

SHOR-LINE
[Unleashed Innovation]



MORE INFORMATION ON PAGE 165 [→](#)

Emaled 560/560 lamp



MORE INFORMATION ON PAGE 155



Saturno lamp

- | suitable for minor surgery and first aid;
- | three versions available (mobile on wheels, mountable on the wall or on the ceiling);
- | aluminium reflector;
- | luminosity from 1 m: 40 000 lux;
- | easy bulb replacement (75 W, 12 V);
- | easy operation;
- | stable;
- | minimum room height: 2700 mm (ceiling version).

Cat. No.	Name
30705	Saturno lamp, on wheels
30706	Saturno lamp, wall-mounted
30707	Saturno lamp, ceiling-mounted
30734	Spare autoclavable handle



Pentaled 12 lamp

- | conical shape;
- | suitable for precise surgery;
- | for diagnostics and scientific laboratories;
- | bright, cold light;
- | does not strain the eyes, facilitates concentration;
- | polycarbonate corpus;
- | reflector can be rotated on the vertical and horizontal axis;
- | luminosity from 1 m: 50 000 lux.

Cat. No. **30787**



Esaled lamp

- | 6 LED diodes;
- | on wheels;
- | low temperature of energy radiation;
- | luminosity from 50 cm: 30 000 lux.
- | adjusted height;
- | variously mounted models.

Cat. No. **30710**



Solesud2 lamp

- | halogen light;
- | for use in gynaecology;
- | aluminium reflector;
- | 2 halogen bulbs made of tempered glass;
- | luminosity from 50 cm: 40 000 lux.
- | on wheels;
- | adjusted height.

Cat. No. **30747**



Solesud 2

Suitable for gynaecology, examination and headbed. Aluminium reflector is equipped with 2 halogen dichroic bulbs, 20W 12V IRC protected by a tempered glass, hermetically sealed against dirt and fluid spray and with ergonomic handle for movement. Bulbs switch on simultaneously and, in case one breaks, light is always assured. Arm is made with articulated joint and mechanical frictions. A light beam of 180 mm diameter at a distance of 50 cm allows precise and reliable examinations. Generates a light intensity of: 40000 lux at 50 cm.

Technical Specifications

Type of lighting: halogen · Consumption (Watt): 2x20 · Life of the bulbs (hours): 5000 · Light intensity at 50 cm (lux): 40000 · Light intensity at 1 m (lux): 8000 · Colour temperature \pm 5% at 1 m (K): 3000 · Light field size at 50 cm (ϕ mm): 180 · External diameter of the reflector (ϕ mm): 104 · Colour: white · Norms: IEC 60601-1 · Marks: CE93/42 · Weight: 6 kg · Operating voltage: 230 V - 50/60 Hz · Electronic transformer integrated in the base with double safety fuse · Adjustable height: 60-160 cm

Cat. No. **30748**



Emaled lamp

- | high-quality light;
- | adjustable luminosity;
- | long life (> 40 000 h);
- | little heating;
- | luminosity: 50 000 lux.

Cat. No.	Name
30752	Emaled 200F lamp, standing
30753	Emaled 200W lamp, wall-mounted
30754	Emaled 200D lamp, ceiling-mounted



Emaled 560/560 lamp

- | surgical lamp;
- | does not heat up the operating field;
- | the smallest and brightest light in this class;
- | luminosity adjustment form 10% to 100% using the control panel or the pilot;
- | easy assembly.

Cat. No. **30755**



Emaled 300M lamp

- | high-quality light;
- | adjustable luminosity;
- | long life (> 40 000 h);
- | little heating;
- | luminosity: 100 000 lux.

Cat. No. **30756**



PENTALED 30E SCIALYTIC LIGHT - trolley

A compact size hi-tech product that guarantees great performance levels. It has 30 elliptical reflectors split into 6 modules each containing 5 LEDs, providing 160,000 LUX- selectable 4,500 °K - 5,000 °K. By simply pressing the digital key, the surgeon can choose two different white light temperatures- E-view. Innovative lens allows the surgeon to expand/narrow the illuminated operating field electronically, without altering intensity of light.- E-comfort. The indirect LED's creates 3D shadowless illumination of the operating field, no risk of dazzing- E-white. Only white LED's to avoid risk of perception of colour temperature variations or coloured shadows- E-deep. Centre of light is fitted with extra LEDs module specifically designed to reflect deep light. This means that surgeon can work with perfect 3D lighting. Battery and high definition camera on request. Optional battery group with automatic charger (4 hours autonomy) and high definition integrated camera (for ceiling and wall models only).


Cat. No. **30780**



PRIMALED LIGHT - trolley

LED life: 50.000 hours· Light intensity: 80.000 lux at 50 cm, 20.000 lux at 1 m· Colour temperature: 4.500-5.000 °K· Colour rendering index: 95· Illuminated field at 50 cm: Ø 140 mm· External diameter of the reflector: 190 mm· Temperature increase in the operating area at 1 m: 1°C· Adjustable height with castors: 600 mm - max 1600 mm· Power supply: 81-240V - 50/60 Hz· Electric absorption: 21VA· Weight: 10 kg (trolley included)

Cat. No. **30777**



Instrument table

- | painted;
- | railing on three sides;
- | white PVC shelves;
- | dimensions: 50 x 60 x 80 cm.

Cat. No. **27921**



GIMA 2 instrument table

- | cart with aluminium body;
- | 2 white shelves;
- | 2 side handles;
- | dimensions: 60 x 40 x 77;
- | weight: 15 kg.

Cat. No. **27429**



MAYO instrument table

- | stainless steel tray, on five wheels;
- | dimensions: 68 x 46 cm;
- | 5 wheels;
- | adjustable height from 70 to 100 cm;
- | weight: 9.3 kg.

Cat. No. **27453**



INSTRUMENT TABLES

Instrument tables Medicazione

- | stainless steel cart;
- | 1 handle;
- | 2 shelves with 3.5 cm bends on four sides;
- | dimensions: 60 x 40 x 81 cm;
- | weight: 9 kg.

Cat. No. **27433**



Instrument tables INOX

- | steel cart;
- | 4 plastic drawers;
- | 2 shelves with 3.5 cm bends on four sides;
- | dimensions: 70 x 50 x 82 cm.

Cat. No. **27430**



Medical cabinet

- | double door, locked;
- | gray;
- | 32 shelves (16 on each side);
- | 5 internal shelves.

Cat. No. **27915**



Medical cabinet

- | enamelled design;
- | tempered glass;
- | 1 door;
- | 3 adjustable shelves;
- | dimensions: 53 x 36 x 144 cm;
- | weight: 26 kg.

Cat. No. **27901**



Medical cabinet

- | enamelled design;
- | tempered glass;
- | 4 door;
- | 3 adjustable shelves;
- | dimensions: 75 x 38 x 169 cm;
- | weight: 42 kg.

Cat. No. **27903**



Medical cabinet

- | enamelled design;
- | tempered glass;
- | 2 door;
- | 4 adjustable shelves;
- | dimensions: 75 x 38 x 169 cm;
- | weight: 49 kg.

Cat. No. **27905**



Ergonomically designed comfortable stool

Ergonomically designed comfortable stool with saddleshaped seat and height adjustment with a gas piston. Height adjustable 52 to 67 cm.

Cat. No.	Name
45250	Black
45252	Blue
45251	White



Height adjustable stool

Padded simulated leather seat \varnothing 33 cm with backrest
Height adjustable 53 to 68 cm

Cat. No.	Name
45230	Black
45231	White
45232	Blue
45233	Blue lagoon
45234	Beige



Stainless steel stool

plastic feet;
height adjustment: 47-59 cm.

27950

Stainless steel AISI 304 seat \varnothing 32 cm. Height adjustable: 47-59 cm. Plastic base with feet.

27951

Stainless steel AISI 304 seat \varnothing 32 cm. Height adjustable: 51-63 cm. Plastic base with 5 castors.

Cat. No.	Name
27950	Steel stool
27951	Steel stool on wheels



SHOR-LINE

V Top table

- | stainless steel table;
- | made of two 762 mm panels arranged into a V-shape;
- | max height: 1041.4 mm;
- | min. height: 774.7 mm;
- | maximum load: 136 kg;
- | option of heating the top form 21.2°C to 36.2°C;
- | rotatable by 360;
- | rails on both sides;
- | option of mounting wheels for easier transportation.

Cat. No. **280919**



Flat Top table

- | stainless steel table;
- | max height: 996.95 mm;
- | min. height: 730.25 mm;
- | maximum load: 136 kg;
- | rounded corners;
- | rotatable by 360 and almost upright positioning;
- | rail on all sides;
- | option of heating the top form 21.2°C to 36.2°C;
- | option of mounting wheels for easier transportation;
- | perfect positioning.

Cat. No. **280920**



Moving table for lifting animals

- | perfect for lifting wound animals and animals after surgery;
- | saves time and strain;
- | maximum load: 90.7 kg;
- | Top Steel with elevated edges;
- | long life and quiet operation;
- | four dirt-resistant bumpers;
- | full charging in 240 minutes;
- | four wheels for easy manoeuvring;
- | min. height: 273mm;
- | max. height: 950 mm.

Cat. No. **280921**



VET Lift table

- | perfect diagnostic and surgical table;
- | functional, attractive design, and top quality materials at a low price;
- | 14 point of fastening the patient, located under the top;
- | height adjusted with foot pedals;
- | height from 54 cm to 100 cm;
- | stable base;
- | stainless steel top, 130 x 60 cm;
- | with drain;
- | carrying capacity: 120 kg;
- | 230 V, 50 Hz;
- | with an angling system;
- | wheels with lock can be installed.

Cat. No. **280916**



MultiVet table

- | Compatible with most portable X-ray devices
- | Integrated tripod
- | Deck translucent
- | Self-centering cassette feeder
- | The tripod and cassette tray are on the guides and cover more than 80% of the table length
- | Overall height: 207 cm
- | Height: 64cm, width: 60cm, length: 140cm

Cat. No. **80355**



MultiVet2 table

- | The X-ray table MultiVet offers a wide range of application possibilities. Whether for vertical, horizontal or inclined X-ray images, the precise positioning tool of the MultiVet makes the adjustment of the X-ray generator very comfortable and easy.
- | With the additional module for X-ray examinations on the standing animal you will obtain optimum examination results during abdominal screenings.
- | Same as the CombiVet S table, the MultiVet X-ray table has a built in cassette drawer that moves simultaneously with the X-ray unit along the table.

Cat. No. **80399**



Operation table, electric

- | Operation table lifting and tilting
- | 120 x 48 cm table top with rims and drain hole
- | Adjustable height: 780-1120 mm

ACCESSORIES:

- | Instrument tray for operation table – Code: **40000149**
- | 2 standard + 2 wheels with break for operation table – Code: **40000825**
- | Rubber mat for table – Code: **40000017**
- | Infusion holder – Code: **45909370**

Cat. No. **80300**



Plastic cage

- | precise design;
- | made from durable plastic;
- | resistant to staining and disinfectants;
- | easy assembly;
- | multiple cages can be connected;
- | one cage can be split into two smaller ones;
- | can be mounted on a platform;
- | two sizes: middle and large;
- | removable floor (optional).

Cat. No. **280923**



Isolation cage

- | perfect for infected patients;
- | easily cleaned;
- | elevated floor;
- | slanted draining system;
- | a second cage can be mounted on one base;
- | two-layer floor minimises contact with faeces.

Cat. No. **280924**



SHOR-LINE**Cat cage**

- | available as a single unit;
- | movable;
- | 4 sizes;
- | trapdoor lockable in the open and closed position;
- | stainless steel or acrylic door;
- | laminate or acrylic back;
- | made of damp and abrasion resistant board;
- | can be additionally equipped with drawers etc.

Cat. No. **280925**

**Stainless steel cage**

- | made from top-quality material;
- | stainless steel fixtures;
- | very durable;
- | no sharp edges;
- | safe lock;
- | very durable hinge;
- | quick and easy removal of door for cleaning, without the use of tools;
- | easy and quick fitting;
- | multiple cages can be connected;
- | aesthetic look;
- | various sizes.

Cat. No. **280922**



CAGE ACCESSORIES

SHOR-LINE

Cage cover

- | provides isolation during treatment;
- | resistant to stains;
- | blue;
- | machine-washable;
- | 4 sizes.

Cat. No. **280927**


Bowl

- | easily cleaned;
- | resistant to indentation;
- | made of stainless steel;
- | easily mounted handles available.

Cat. No. **280928**

Clipboards

- | made of stainless steel;
- | can be attached to door;
- | resistant to fractures and breaking.

Cat. No. **280929**

SHOR-LINE

IV infusion hanger

- | comfortable height adjustment with one hand;
- | easily attachable to cage;
- | available in 2 sizes.

Cat. No. **280930**



Infusion pump clip

- | easy assembly;
- | stable support for the pump;
- | adjustable.

Cat. No. **280931**



Cage divider

- | made of stainless steel;
- | easy removal.


Cat. No. **280932**



Cage panel

- | made of stainless steel;
- | aesthetic look;
- | no sharp edges;
- | all panels are 717.55 mm deep.

Cat. No. **280933**



Oxygen therapy door

- | isolate the cage;
- | facilitate the use of oxygen therapy in animals;
- | made of acrylic glass;
- | thickness: 6.4 mm;
- | temperature adjustment by adding ice or hot water to the chamber;
- | a thermo-hygrometer mounted on the door, monitoring temperature and humidity without opening the door..

Cat. No. **280934**



Mobile platform

- | protects cages from dampness and drafts;
- | polyurethane shelf;
- | wheels rotate by 360°;
- | with safety mechanisms;
- | various sizes.

Cat. No. **280935**



Standing platform

- | protects cages from dampness and drafts;
- | adjusted feet;
- | various sizes.

Cat. No. **280936**



A

Name	Page
Adhesive cloth spray	88
Adhesive tape	65
Adhesive band	65
Adhesive knit	65
Agar bases	34
Anaesthetic masks / Endotracheal tubes	128
Analyzer	37
Anesthetic apparatus	126
Autoclaves	49-50

C

Name	Page
Cages	164-168
Catheters	22
Catheters	96
Centrifuge	39
Chemistry analyzer	38
Clamps	85
Clippers	98-99
Collars	94-95
Containers	33
Cover glasses	33

D

Name	Page
Dental equipment	137-147
Dental set / Accessories for filtration	135
Dental set / Dental equipment	138
Dental units/Scalers	134
Dilator	86
Direct Radiography System	112-117
Direct Radiography System	112-117

E

Name	Page
ECG machine	17-18
Elastic Bands	66
Electrocauters	88-89
Endoscopes	121-122
Endotracheal tubes	129

F

Name	Page
Foam Positioning	107
Forceps	84

G

Name	Page
Gauze compress	68-69
Generator	107
Gloves	52-54

H

Name	Page
Hematology analyzer	36

I

Name	Page
Infusion equipment container	24
Instrument tables	157-158
Intermediate Radiography System	108-111
Intermediate Radiography System	108-111

J

Name	Page
Jaw model	148

L

Name	Page
Laboratory containers	30-31
Lamps	152-156
Lamps/swabs	35
Lasers	100
Litter urine strips/plates	32

M

Name	Page
Manual resuscitators / respiration bags	127
Masks	55
Medical cabinets	159
Microscopes	40
Mikromotor / scaler tips	136
Monitors	130

N

Name	Page
Needles	23

O

Name	Page
Otoscopy	8-10

P

Name	Page
Plaster	70
Protection	104-105

R

Name	Page
Radiography System	108-111
Reusable clothes	44
Rolls	67

S

Name	Page
Sandbag	106
Scalpels	87
Scannery Dental Generator	118
Scissors	80-82
Stands	25-26
Stapler	76
Sterilisers	47-48
Stethoscopes	12-15
Stools	160
Surgical drapers	90
Suture Catgut	73



Suture needle	75
Suture Sugricryl PGA	74
Syringes	22

T

Name	Page
Tables	161-163
Thermometers	16
Tupfer	69
Tweezers	83

U

Name	Page
Ultrasound cleaners	45-46
Ultrasounds	119-120

W

Name	Page
Wadding	67-68
Washing and disinfection products	56-62
Weight scales	96-97
Welders	51



**POLNET Sp. z o.o.
i Wspólnicy
Spółka Komandytowa**

ul. Sowia 13 B
62-080 Tarnowo Podgórne, Poland
tel.: + 48 61 657 67 00, fax: + 48 61 657 67 67
office@polnet.pl

Veterinary Department:
+ 48 61 657 67 34; + 48 61 657 67 21
weterynaria@polnet.pl, www. polnet-wet. pl

www.polnet.pl

